

Codabench Docs

Codabench Docs PDF

Codabench Team

Apache-2.0

Table of contents

1. Home	7
1.1 Documentation	7
1.2 Useful links	7
2. Participants	8
2.1 Participating in a Competition	8
3. Organizers	10
3.1 Benchmark Creation	10
3.1.1 Getting Started Tutorial	10
3.1.2 Advanced Tutorial	11
3.1.3 How to Transition from Codalab to Codabench?	29
3.1.4 Competition Creation	31
3.1.5 Competition Creation Form	32
3.1.6 Competition Creation Bundle	39
3.1.7 Competition YAML Structure	40
3.1.8 YAML Structure	43
3.1.9 Competition Docker Image	48
3.1.10 Dataset Competition Creation and participate instruction	49
3.1.11 Leaderboard Features	52
3.1.12 Public Tasks and Tasks Sharing	54
3.1.13 Detailed Results and Visualization	58
3.2 Running a Benchmarks	60
3.2.1 Benchmark Management & List Page	60
3.2.2 Competition Detail Tab Navigation	64
3.2.3 Ressource Management Submissions, Datasets/Programs, Tasks and Competition Bundles	67
3.2.4 Update programs or data	75
3.2.5 Queue Management	78
3.2.6 Compute Worker Management & Setup	81
3.2.7 Compute Worker Management with Podman	86
3.2.8 Server Status	88
4. Developers and Administrators	90
4.1 Codabench Basic Installation Guide	90
4.1.1 Pre-requisites	90
4.1.2 Clone Repository	90
4.1.3 Edit the settings (.env)	90
4.1.4 Start the service	90

4.1.5	Run the following commands	91
4.1.6	Advanced Configuration	91
4.1.7	Troubleshooting	92
4.1.8	Online Deployment	92
4.2	How to Deploy a Server	93
4.2.1	Overview	93
4.2.2	Preliminary steps	93
4.2.3	Modify .env file configuration	93
4.2.4	Open Access Permissions for following port number	94
4.2.5	Modify django-related configuration	94
4.2.6	Start service	95
4.2.7	Set public bucket policy to read/write	96
4.2.8	Checkout the log of the specified container	96
4.2.9	Stop service	96
4.2.10	Disabling docker containers on production	96
4.2.11	Link compute workers to default queue	97
4.2.12	Personalize Main Banner	97
4.2.13	Frequently asked questions (FAQs)	98
4.2.14	Securing Codabench and Minio	101
4.2.15	Workaround: MinIO and Django on the same machine with only the port 443 opened to the external network.	103
4.3	Administrative Procedures	104
4.3.1	Maintenance Mode	104
4.3.2	Give superuser privileges to a user	104
4.3.3	Migration	104
4.3.4	Collect static files	104
4.3.5	Delete POSTGRESDB and MINIO :	104
4.3.6	Feature competitions in home page	105
4.3.7	Shell Based Admin Features	105
4.3.8	Django Admin interface	105
4.3.9	RabbitMQ Management	107
4.3.10	Flower Management	107
4.3.11	Storage analytics	107
4.3.12	Homepage counters	108
4.3.13	User Quota management	109
4.3.14	Codabench Statistics	109
4.4	Codabench Docker Architecture	111
4.4.1	Django	111
4.4.2	Caddy	112

4.4.3 Postgres (Labeled DB in docker-compose)	112
4.4.4 Compute Worker	112
4.4.5 Site Worker	112
4.4.6 Minio	112
4.4.7 Create Buckets	112
4.4.8 Builder	112
4.4.9 Rabbit	113
4.4.10 Flower	113
4.4.11 Competition docker image	113
4.5 Submission Docker Container Layout	114
4.5.1 Site Worker	114
4.5.2 Compute Worker	114
4.5.3 Submission Container	114
4.6 Backups - Automating Creation and Restoring	115
4.6.1 Creating Backups	115
4.6.2 Scheduling Automatic Backups	115
4.6.3 Restoring From Backup	115
4.7 Submission Process Overview	117
4.7.1 Overview:	118
4.8 Robot Submissions	119
4.8.1 Pre-requisite	119
4.8.2 Getting started	120
4.8.3 Using the Scripts:	128
4.9 To run the tests locally	134
4.10 Adding Tests	134
4.11 Running Tests	135
4.11.1 CircleCI	135
4.11.2 Example competitions	135
4.12 Automation	136
4.12.1 What and Why	136
4.12.2 Virtualenv	136
4.12.3 Requirements	136
4.12.4 Automate competition creation	136
4.13 Manual Validation	138
4.14 Validation and deployment of pull requests	139
4.14.1 1. Local testing and validation of the changes	139
4.14.2 Update the test server	140
4.14.3 Merge develop into master	141

4.14.4	Update the production server	142
4.14.5	Creating a Release	142
4.14.6	Dockerhub Cleanup	143
4.15	Upgrading Codabench	144
4.15.1	Index	144
4.15.2	Upgrade RabbitMQ (version < 1.0.0)	145
4.15.3	Create new logos for each competitions (version < 1.4.1)	146
4.15.4	Worker docker image manual update (version < 1.3.1)	147
4.15.5	Add line in .env file for default worker queue duration (version < 1.7.0)	148
4.15.6	Uncomment a line in your .env file (version < 1.8.0)	149
4.15.7	Rebuilding all docker images (version < 1.9.2)	150
4.15.8	Move the latest storage_inconsistency files from the logs folder to var/logs (version < 1.12.0)	151
4.15.9	Submissions and Participants count (version < 1.14.0)	152
4.15.10	Homepage Counters (version < 1.15.0)	153
4.15.11	User Removal (version < 1.17.0)	154
4.15.12	Database size fix (version < 1.18.0)	155
5.	Newsletters Archive	157
5.1	2024	157
5.1.1	CodaLab in 2024	157
5.1.2	Unprecedented engagement	157
5.1.3	Introducing Codabench	158
5.1.4	Spotlight on competitions	158
5.1.5	What about the future?	159
5.1.6	Community	159
5.1.7	Last words	159
5.2	CodaLab and Codabench newsletter	161
5.2.1	What happened in 2025?	161
5.3	Bye bye, CodaLab!	161
5.4	Some statistics	161
5.5	Spotlight on competitions	161
5.6	Novelty in the software	163
5.7	Community	163
5.8	Closing words	164
6.	How you can contribute	165
6.1	Index	165
6.2	Contributing	166
6.2.1	Being a Codabench user	166
6.2.2	Setting up a local instance of Codabench	166

6.2.3	Setting up an autonomous Compute Worker on a machine	166
7.	FAQ	167
7.1	General questions	167
7.1.1	What is Codabench for?	167
7.1.2	Can CodaLab competitions be privately hosted?	167
7.1.3	How to change my username?	167
7.1.4	How to make a task public or use public tasks from other users?	167
7.1.5	How to delete my account?	167
7.2	Technical questions	167
7.2.1	Server Setup Issues	167
7.2.2	A library is missing in the docker environment. What do to?	168
7.2.3	Emails are not showing up in my inbox for registration	168
7.2.4	Robots and automated submissions?	168
8.	Contact Us	169

1. Home

1.1 Documentation

Welcome to the Codabench docs!

Codabench is a platform allowing you to flexibly specify a benchmark. First you define tasks, e.g. datasets and metrics of success, then you specify the API for submissions of code (algorithms), add some documentation pages, and "CLICK!" your benchmark is created, ready to accept submissions of new algorithms. Participant results get appended to an ever-growing leaderboard.

You may also create inverted benchmarks in which the role of datasets and algorithms are swapped. You specify reference algorithms and your participants submit datasets.

Here are some links to get you started:

[Getting Started with Codabench](#)

[Basic Installation Guide](#)

[Compute Worker Setup](#)

[Administrative Procedures](#)



Use the top bar or the search functionality to navigate the docs!

1.2 Useful links

[Governance Document](#)

[Privacy and Terms of Use](#)

[About](#)

2. Participants

2.1 Participating in a Competition

Signing up and updating your settings

When you sign up, you will have to provide your name and a valid email.

Registering for a Benchmark

To make an entry in a benchmark click on the "My Submissions" tab, you will then be prompted to accept the rules to register to that benchmark. When registering, a request may be sent to the benchmark organizer. You will be notified when the benchmark organizer has approved your registration request. Follow the instructions of the organizers.

The screenshot shows a navigation bar with tabs: Get Started, Phases, My Submissions (active), Results, and Forum. A help icon (?) is on the right. Below the tabs, the text reads: "You have not yet registered for this competition. To participate in this competition, you must accept its specific [terms and conditions](#). This competition **does not** require approval, once you register, you will immediately be able to participate." There is a checkbox labeled "I accept the terms and conditions of the competition." and a blue "Register" button below it.

Making a Submission

Making a submission to a benchmark involves uploading a bundle (.zip archive) containing files with your answer, in the format that has been specified by the benchmark organizer. There are two types of submissions: - **Code** submissions contain a metadata file specifying the command to execute - **Results** submission contain the solution to the problem (no code executed on the platform)

To make a submission

1. [Sign in to Codabench](#). If you do not have an account, you will need to create one.
2. Select the benchmark you want to work with.
3. Click the **My Submissions** tab. Here, you can access the data that has been provided by the benchmark organizer.
4. Click on the **paper clip logo** and select your zip file.

The screenshot shows the "My Submissions" tab with sub-tabs "Development" and "Final". Below these is a "Submission upload" section. It includes a "Submit as:" dropdown menu set to "Yourself". Below the dropdown is a large text input field. A paper clip icon is located on the left side of this input field, and a large black arrow points to it from the bottom left.

On this page, you can make new submissions, and see previous submissions for each phase in the competition.

You can also view all your submissions in the [Resources Interface](#).

Viewing Benchmark Results

You can keep up with the progress of benchmarks you are participating in by clicking on the **Results** tab. This will display the leaderboard.

Results 			
Task:	Development Task		
#	Participant	Validation Accuracy	Test Accuracy
		0.8902821317	n/a
		0.8871473354	n/a
		0.8840125392	n/a
		0.8840125392	n/a
		0.8808777429	n/a
6		0.8448275862	n/a

3. Organizers

3.1 Benchmark Creation

3.1.1 Getting Started Tutorial

[Codabench](#) is an upgraded version of the [CodaLab Competitions](#) platform, allowing you to create either **competitions** or **benchmarks**. A benchmark is essentially an **ever-lasting competition** with **multiple tasks**, for which a participant can make **multiple entries** in the result table.

This getting started tutorial shows a **simple example** of how to create a competition. Advanced users should check [fancier examples](#) and [the full documentation](#). If you simply wish to participate in a benchmark or competition, go to [Participating in a benchmark](#).

Getting ready

- Create a [Codabench](#) account (if not done yet)
- Download the [sample competition bundle](#) and the [sample submission](#).
- Do not unzip them.

Create a competition

- From the front page of [Codabench](#), in the top menu, go to the **Benchmark > Management**
- Click the green **Upload** button at the top right.
- Upload the (zipped) sample competition bundle => this will create your competition.

Make changes

- Click on the **Edit** gray button at the top to enter the editor.
- Make small changes
 - Change the logo in the **Details** tab to another png of jpg file.
 - Change the end date in the **Phases** tab: if the competition is terminated, you will not be able to make submissions.
- Save your changes and verify that they have become effective.

Make a submission

- In your competition page, go to the tab **My submissions**
- Submit the (zipped) sample submission bundle you downloaded.
- When your submission finishes, go to the **Result tab** to check if it shows up on the leaderboard.



In some competitions, submissions successfully processed do not automatically get pushed to the leaderboard

Publish your competition

- If you want to make your competition visible to all, you must publish it by checking the **Publish** box at the very bottom of the editor **Details** page.
- After you publish your competition, it should now be visible when you are not logged in, at the URL of your competition page.


You are done with this simple tutorial. Next, check the more [advanced tutorial](#).

You can also check out this blog post: [How to create your first benchmark on Codabench](#).

3.1.2 Advanced Tutorial

Here is an advanced tutorial. If you are new to CodaBench, please refer to [get started tutorial](#) first. In this article, you'll learn how to use more advanced features and how to create benchmarks using either the editor or bundles. Before proceeding to our tutorial, make sure you have registered for an account on the [Codabench](#) website.


The image below is an overview of the benchmark creation process



Creating a Benchmark by Editor

In this chapter, I'll take you step by step through the Editor's approach to creating benchmark, including algorithm type and dataset type.

STEP 1: CLICK ON MANAGEMENT IN THE TOP RIGHT CORNER OF CODABENCH'S HOME PAGE UNDER COMPETITIONS.



When you click on it, you will see the screen as shown in the screenshot below.

Competition Management

[Create](#) [Upload](#)

Competitions I'm Running Competitions I'm In ?

Name	Type	Uploaded...	Publish	Edit	Delete
Classify Wheat Seeds - Single phase with multiple task	competition	5 months ago			
Classify Wheat Seeds - Multiple phase with multiple task	competition	5 months ago			
Classify Wheat Seeds	competition	5 months ago			
Health Data Challenge	competition	5 months ago			
Health Data Challenge	competition	5 months ago			
AutoWSL Challenge :: Feedback Phase Without Editing Scoring Directory	competition	5 months ago			
AutoWSL Challenge :: Feedback Phase	competition	5 months ago			
AutoWSL Challenge Single Phase Single Task	competition	5 months ago			
AutoWSL Challenge Single Phase with Multiple Task	competition	4 months ago			
AutoWSL Challenge Multiple Phases with Multiple Tasks	competition	4 months ago			

STEP 2: CLICK ON THE CREATE BUTTON IN THE TOP RIGHT CORNER OF COMPETITION MANAGEMENT.

Competition Management

[Create](#) [Upload](#)

Competitions I'm Running Competitions I'm In ?

Name	Type	Uploaded...	Publish	Edit	Delete
Classify Wheat Seeds - Single phase with multiple task	competition	5 months ago			

click this!!!

STEP 3: FILL IN THE DETAILS TAB CONTENT.

Title *
Classify Wheat Seeds ← Give a name to the competition you create.

Logo *
wheat.jpg ← Upload a photo as a promotional photo for the competition

Description
Classify Wheat Seeds ← Write a brief description of the competition you are creating (optional)!

Fact Sheet
Boolean+ Text+ Selection+

Queue ← You can specify a private Queue for your contest, which is used to run tasks. Without the settings, the default is the Queue provided by Codabench.

Competition Docker Image * ← The Docker image is used to specify the image of the current competition, which contains the environment needed to run a match. For example, python3, tensorflow and so on.

Competition Type
Competition

Competition Type has two optional values: Competition and Benchmark. In short, Competition has a limit on the number of times a player can submit, which makes it suitable for competitions, while Benchmark has no limit on the number of times a player can submit, which makes it suitable for research tests.

Buttons: Publish, Save, Discard Changes, Back To Competition

STEP 4: FILL IN THE PARTICIPANT TAB.

Participation

Terms *

Terms and Conditions

We only have two rules

Rule number one
Don't be a dick

Rule number two
See rule number one

Auto approve registration requests ← A check mark indicates that the contestant will be automatically approved and added to the competition/benchmark when he or she agrees to the terms.

Allow robot submissions

Buttons: Publish, Save, Discard Changes, Back To Competition

STEP 5: FILL IN THE PAGES TAB.

The screenshot shows the 'Pages' tab selected in a navigation menu. The menu includes 'Details', 'Participation', 'Pages', 'Phases', 'Leaderboard', and 'Administrators'. Below the menu, there is a list of pages with the title 'How to participate'. To the right of this list are icons for visibility, edit, and delete. A red arrow points to a green '+ Add page' button. A red text box contains the following text: 'Pages Tab is designed to allow you to further introduce the competition. For example, how to participate in the current competition (how to write a submission that meets the requirements)'. At the bottom of the page, there are buttons for 'Publish', 'Save', 'Discard Changes', 'Back To Competition', and a help icon.

STEP 6: FILL IN THE PHASES TAB.

The screenshot shows the 'Phases' tab selected in a navigation menu. The menu includes 'Details', 'Participation', 'Pages', 'Phases', 'Leaderboard', and 'Administrators'. Below the menu, there is a list of phases with the title 'Phases'. The list is empty and contains the text 'No phases added yet, at least 1 is required!'. To the right of this list is a green '+ Add phase' button. A red arrow points to this button. A red text box contains the following text: 'Click the Add Phase button to go to the Phase Edit Details page.'. At the bottom of the page, there are buttons for 'Publish', 'Save', 'Discard Changes', 'Back To Competition', and a help icon.

Edit phase

Name *

Start * End

Tasks (Order will be saved) Note: Adding a new task will cause all submissions to be run against it. ? *

Description

lines: 1 words: 0 0:0

Advanced

Manage Tasks / Datasets Cancel Save

Under Phase we can set up the Task to run, now our first task is to create a Task

Right-click the Button to open it in a new browser tab.

When you click on the Manage Tasks/Datasets button, you will see the screenshot shown below

Click the Add Dataset button in the diagram to upload the resource files needed to create the competition.

Datasets Tasks

Search... Filter By Type Show Auto Created Delete Selected Datasets Add Dataset

Name	Type	Uploaded...	In Use	Public	Delete?
liuzhenwu - submission	submission	23 days ago			<input type="checkbox"/> <input type="checkbox"/>
liuzhenwu - submission	submission	24 days ago			<input type="checkbox"/> <input type="checkbox"/>
liuzhenwu - submission	submission	25 days ago			<input type="checkbox"/> <input type="checkbox"/>
liuzhenwu - submission	submission	25 days ago			<input type="checkbox"/> <input type="checkbox"/>
liuzhenwu - submission	submission	27 days ago			<input type="checkbox"/> <input type="checkbox"/>
iguyon - submission	submission	37 days ago		<input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
liuzhenwu - submission	submission	37 days ago			<input type="checkbox"/> <input type="checkbox"/>
liuzhenwu - submission	submission	37 days ago			<input type="checkbox"/> <input type="checkbox"/>
liuzhenwu - submission	submission	37 days ago			<input type="checkbox"/> <input type="checkbox"/>
liuzhenwu - submission	submission	37 days ago			<input type="checkbox"/> <input type="checkbox"/>

click this!!!

Creating a phase will require a bundle of the following types (.zip format), I'll give you more details on how to write these bundle later.

Now you just need to have this concept in your mind

Form

Wheat_Input_Data

Wheat_Input_Data

Input Data ▾

Ingestion Program ←

Input Data ←

Public Data ←

Reference Data ←

Scoring Program ←

Starting Kit

Submission

Here are the screenshots of the 5 types of bundles after they were uploaded

Datasets		Tasks					
Search...		Filter By Type	<input type="checkbox"/> Show Auto Created	Delete Selected Datasets		Add Dataset	
Name	Type	Uploaded...	In Use	Public	Delete?		
Wheat_Scoring_Program	scoring_program	3 seconds ago			<input type="checkbox"/>	<input type="checkbox"/>	
Wheat_Reference_Data	reference_data	42 seconds ago			<input type="checkbox"/>	<input type="checkbox"/>	
Wheat_Ingestion_Program	ingestion_program	87 seconds ago			<input type="checkbox"/>	<input type="checkbox"/>	
Wheat_Input_Data	input_data	2 minutes ago			<input type="checkbox"/>	<input type="checkbox"/>	
Wheat_Public_Data	public_data	8 minutes ago			<input type="checkbox"/>	<input type="checkbox"/>	

1 click this

Datasets **Tasks**

2 then click this

Search by name... Show Public Tasks

Delete Selected Tasks Create Task

Name	Uploaded...	Public	Delete?
Wheat Seed Fourth Task	16 days ago		<input type="checkbox"/> <input type="checkbox"/>
Wheat Seed Third Task	16 days ago		<input type="checkbox"/> <input type="checkbox"/>
Wheat Seed Second Task	16 days ago		<input type="checkbox"/> <input type="checkbox"/>
Wheat Seed First Task	16 days ago		<input type="checkbox"/> <input type="checkbox"/>
MT5 m_WIC	16 days ago		<input type="checkbox"/> <input type="checkbox"/>
MT2 r_WNM	16 days ago		<input type="checkbox"/> <input type="checkbox"/>
MT1 r_WIC	16 days ago		<input type="checkbox"/> <input type="checkbox"/>
Wheat Seed Fourth Task	17 days ago		<input type="checkbox"/> <input type="checkbox"/>
Wheat Seed Third Task	17 days ago		<input type="checkbox"/> <input type="checkbox"/>
Wheat Seed Second Task	17 days ago		<input type="checkbox"/> <input type="checkbox"/>

1 >

Create Task

Details **Datasets**

Name *

Wheat_First_Task_Demo

Description *

Wheat_First_Task_Demo

Create Cancel

Edit phase

Name *
 ← write down phase name

Start * ← Set the phase enable time here. End

Tasks (Order will be saved) Note: Adding a new task will cause all submissions to be run against it. *
 ← Here you can search for the Task you just created by name.

Description
 B I H [Quote] [List] [Link] [Image] [Eye] [Help]
 First Phase Demo Description here... ← write down description for phase here

Here you can set a timeout time for a submission by a user.
 If the time limit is exceeded and the submission has not finished running,
 it will be considered a failure.
 The default value is 600 seconds, which is ten minutes. The unit here is seconds.

Advanced [Gear]
 Execution Time Limit [?] Max Submissions Per Day [?] Max Submissions Per Person [?]

Hide Submission Output

← Here you can set the maximum number of Submission per day for a user under the current Phase. ← same here

[Manage Tasks / Datasets](#)

STEP 7: FILL IN THE LEADERBOARD TAB.

Details
 Participation
 Pages
 Phases
 Leaderboard
 Administrators

Leaderboards

No leaderboards added yet, at least 1 is required!

click this

Publish

Leaderboard form

Leaderboard Settings **Set the name of the LeaderBoard.**

Title* Key*

Leaderboard is Hidden

Submission Rule
Add

	New Column	New Column
Primary Column	<input checked="" type="radio"/>	<input type="radio"/>
Computation	None	None
Sorting	Descending	Descending
Column Key *	accuracy	duration
Hidden	<input type="checkbox"/>	<input type="checkbox"/>
	< >	< >

The setting of the key is related to the result of the scoring program and will be described in detail later.

STEP 8: SAVE AND PUBLISH THE BENCHMARK

Details
 Participation
 Pages
 Phases
 Leaderboard
 Administrators


Administrators

Creator

Publish

1 click this →

2 then click this ↑



CLASSIFY WHEAT SEEDS

ORGANIZED BY: Liuzhenwu
 CURRENT PHASE ENDS: January 21, 2021, 8:00 AM GMT+8
 CURRENT SERVER TIME: November 30, 2020, 10:12 AM GMT+8
 Secret url: https://www.codabench.org/competitions/185/?secret_key=80a47103-7a05-4a1b-a771-2a4b7c0cbc70

1 PARTICIPANTS
1 SUBMISSIONS

Dec 2020 Jan 2021

Get Started Phases My Submissions Results ?

How to participate

Data has been normalized

Seed:

```
class Model:
    def fit(self, X_train, y_train):
        """
        This should handle the logic of training your model
        :param X_train: 7 dimensional np.array of training data
        :param y_train: 1 dimensional np.array of the same length as X_train. Contains classifications of
        """
        pass

    def predict(self, X_test):
        """
        This should handle making predictions with a trained model
        :param X_test: 7 dimensional np.array of testing data
        :return: 1 dimensional np.array of the same length as X_test containing predictions to each point
        """
        pass
```

Creating a Benchmark by Bundle

Creating a benchmark through bundles is a much more efficient way than using editors.

SIMPLE VERSION EXAMPLE: CLASSIFY WHEAT SEEDS

STEP 1: DOWNLOAD BUNDLE


https://github.com/codalab/competition-examples/blob/master/codabench/wheat_seeds/code_submission_bundle.zip

Click on the link above to download the bundle in the screenshot.

develop competitions-v2 / src / tests / functional / test_files /


File Name	Commit Message	Author	Time
competition.zip	Chahub connection update (#571)	Chahub	5 days ago
competition_15.zip	detailed results fixes (#475)	Chahub	4 months ago
competition_18.zip	fix ci error	Chahub	3 months ago
competition_v2_multi_task.zip	Chahub connection update (#571)	Chahub	5 days ago
competition_v2_multi_task_fact_sheet.zip	Chahub connection update (#571)	Chahub	5 days ago
scoring_program.zip	Fix manual competition creation & selenium test it (#435)	Chahub	5 months ago
submission.zip	Chahub connection update (#571)	Chahub	10 months ago
submission_15.zip	Bundle converter core (#255)	Chahub	13 months ago
submission_18.zip	add functional test and test file for competition v1.8	Chahub	4 months ago
test_logo.png	submit to specific tasks (#463)	Chahub	5 months ago

STEP 2: GO TO THE BENCHMARK UPLOAD PAGE





STEP 3: UPLOAD THE BUNDLE

After the bundle has been uploaded, you will see the screenshot shown below.



STEP 4: VIEW YOUR NEW BENCHMARK





CLASSIFY WHEAT SEEDS

1 PARTICIPANTS

0 SUBMISSIONS

ORGANIZED BY: Liuzhenwu
 CURRENT PHASE ENDS: Never
 CURRENT SERVER TIME: November 30, 2020, 10:41 AM GMT+8
 Secret url: https://www.codabench.org/competitions/187/?secret_key=f2df2481-bbcb-4539-b639-475cdec3d3d8

Sep 2019 Oct 2019 Nov 2019 Dec 2019

Get Started Phases My Submissions Results ?

Participation

How to participate

Data has been normalized

Seed:

```
class Model:
    def fit(self, X_train, y_train):
        """
        This should handle the logic of training your model
        :param X_train: 7 dimensional np.array of training data
        :param y_train: 1 dimensional np.array of the same length as X_train. Contains classifications of
        """
        pass

    def predict(self, X_test):
        """
        This should handle making predictions with a trained model
        :param X_test: 7 dimensional np.array of testing data
        :return: 1 dimensional np.array of the same length as X_test containing predictions to each point
        """
        pass
```

Benchmark Examples

Example bundles for code & dataset competition can be found here:

<https://github.com/codalab/competition-examples/tree/master/codabench>

IRIS

[Iris Codabench Bundle](#) is a simple benchmark involving two phases, code submission and results submission.

AUTOWSL

Two versions of the [Automated Weakly Supervised Learning Benchmark](#): - Code submission benchmark - Dataset submission benchmark


MINI-AUTOML

[Mini-AutoML Bundle](#) is a benchmark template for Codabench, featuring code submission to multiple datasets (tasks).

How do I set up submission comments for multiple submissions?


STEPS

Step 1: Click the edit button



The screenshot shows the AutoWSL competition dashboard for "AUTOWSL BENCHMARK SINGLE PHASE WITH MULTIPLE TASK". The dashboard includes a navigation bar with buttons for "Edit", "Participants", "Submissions", "Dumps", and "Migrate". The "Edit" button is highlighted with a red arrow. Below the navigation bar, there is a section for "ORGANIZED BY: Liuzhenwu" and "CURRENT PHASE ENDS: December 30, 2020, 8:00 AM GMT+8". A timeline shows the current phase ending on December 30, 2020. The dashboard also features a "credits" input field and a "Get Started" button.

Step 2: Enable multiple submissions on leaderboard



The screenshot shows the AutoWSL competition settings page. The "Leaderboard" tab is selected and highlighted with a red box. Below the tabs, there is a table with two rows: "Leaderboards" and "Results". The "Results" row is highlighted with a red arrow. The "Results" row has a blue pencil icon and a red trash icon. Below the table, there is a green button labeled "+ Add leaderboard". At the bottom of the page, there are buttons for "Publish", "Save", "Discard Changes", and "Back To Competition".

Leaderboard form

Leaderboard Settings

Title * Key *

Leaderboard is Hidden

Submission Rule

- Add And Delete Multiple
- Add
- Add And Delete
- Add And Delete Multiple
- Force Last
- Force Latest Multiple
- Force Best

Column Key *	<input type="text" value="accuracy"/>	<input type="text" value="duration"/>
Hidden	<input type="checkbox"/>	<input type="checkbox"/>

Step 3: Set up submission comment

1 Details Participation Pages Phases Leaderboard Administrators

Title *
AutoWSL Benchmark Single Phase with Multiple Task

Logo *
Uploaded Logo: logo.png *

Description
Create a fully Automated Deep Learning solution for Text Categorization.

lines: 1 words: 10 0:0

Fact Sheet

Type: Text

Key name:

Show On Leaderboard:

Display Name:

Is Required:

2 choose Text+

3 doing like this

Step 4: Save all changes

Publish ?

Step 5: Leave a comment before making submission

Get Started Phases **My Submissions** Results ?

Single Phase with Multiple Task

Submission upload

Metadata or Fact Sheet 1

SUBMISSION_COMMENT: * write down you comment here

FIFTH_SUBMISSION ←

Selected Tasks ◀

2 click here to choose submission zip file

Search... Status ▼

ID #	File name	Status	Actions
1663	AutoWSL_dataset_submission.zip	Finished	✓ ↔
1655	AutoWSL_dataset_submission.zip	Finished	✓ ↔
1643	AutoWSL_dataset_submission.zip	Finished	✓ ↔
1635	AutoWSL_dataset_submission.zip	Finished	✓ ↔
1631	AutoWSL_dataset_submission.zip	Finished	✓ ↔

3 you could choose whether to put this submission result to leaderboard or not after submission finished

Step 6: Check out the leaderboard

Get Started Phases My Submissions **Results** ?

Single Phase with Multiple Task 


Filter Leaderboard by Columns 

Results 

Task:		Fact Sheet Answers	Second Task		Third Task		First Task	
#	Username	SUBMISSION_COMMENT	Prediction score	Duration	Prediction score	Duration	Prediction score	Duration
	liuzhenwu	THIRD_SUBMISSION	0.9641000543	0.6429336071	0.9641000543	0.8160328865	0.9641000543	1.0644438267
	liuzhenwu	SECOND_SUBMISSION	0.9641000543	0.9911692142	0.9641000543	0.5650615692	0.9641000543	0.5307083130
	liuzhenwu	FIRST_SUBMISSION	0.9641000543	0.6895229816	0.9641000543	0.5825071335	0.9641000543	0.8608663082
	liuzhenwu	FOURTH_SUBMISSION	0.9641000543	0.8419218063	0.9641000543	0.5171837807	0.9641000543	0.6155939102
	liuzhenwu	FIFTH_SUBMISSION	0.9641000543	0.7852628231	0.9641000543	0.5111699104	0.9641000543	0.7217628956

3.1.3 How to Transition from Codalab to Codabench?

[Codabench](#) serves as a modern, faster, and more reliable upgrade to [CodaLab](#), designed to supersede it. This quick guide is meant for CodaLab users wondering how to successfully adopt this new challenge platform.



What's new in Codabench?

[Codabench](#) includes all features from [CodaLab Competitions](#), and proposes a faster and more intuitive interface. It also has new features such as:

- Live logs during submission processes
- Storage quotas
- [Computation servers management](#) for all users.

It also emphasizes on benchmarking, allowing dataset submissions and multiple leaderboard rows per user. Finally, future project development and maintenance will be focused on Codabench.

Do I need to create a new account?


Yes, even if you previously had a CodaLab account, you need to [create a new account](#) on Codabench. Sign up is quick and free. From there, as a competition participant, you are all set.

The next questions concern competition organizers.


Can I upload my old competition bundles to Codabench?

Yes! That is the good news: competition bundles are back-compatible. This means that you can upload your CodaLab competition bundles into Codabench without any modifications and have them working just fine.

Simply go to *"Benchmarks > Management"*, then click on *"Upload"* and select your competition bundle.



Go to *"Benchmarks > Management"*.




Click on "Upload" and select your competition bundle.


That's it! Your competition is ready to receive submissions.

How to move a competition from CodaLab to Codabench?

If your competition is already live on CodaLab, that is fine too. You simply need to create a dump, download it and re-upload it on Codabench.



Go to "Dumps" organizer interface.



Click on "Create Dump" then "Download". You'll obtain a competition bundle that you'll be able to re-upload on Codabench, following the instructions of the previous section.

 **Leaderboard results won't be transferred. For that, you'll need to re-submit the submissions.**

How to create a competition from scratch on Codabench?

If you don't have any previous competition, and want to learn how to create one from scratch, please refer to the [Getting started guide](#).

Concluding remarks

Codabench, the new version of the competition and benchmark platform CodaLab, was launched on August 2023 and is already receiving great attention. For users accustomed to CodaLab, the transition to Codabench is quick and easy. Indeed, competition bundles are back-compatible, and all that is required is to create an account on Codabench. To go further, you can refer to [Codabench's Docs](#).

3.1.4 Competition Creation

Competition creation can be done two ways. Through the online form on Codalab, or by uploading a competition bundle to Codalab.

Bundle Upload

For more information on Bundle Upload see here:

[Competition Creation: Bundle](#)

For more information on Competition Bundle Structure, see here:

[Competition Bundle Structure](#)

GUI creation

For more information on GUI creation see here:


[Competition Creation: Form](#)

3.1.5 Competition Creation Form

Competitions can now be created through a wizard/form. This page will cover each different tab of the competition form correlating to a section, and the fields for each section.

Details

The details tab covers all basic competition info, such as title, logo, description, and the queue used.



The screenshot shows the 'Details' tab of the competition creation form. It includes the following elements:

- Navigation Tabs:** Details (selected), Participation, Pages, Phases, Leaderboard, Collaborators, ? Help.
- Title:** A text input field with a red asterisk indicating it is required.
- Logo:** A field with a file upload icon (paperclip) and a red asterisk.
- Description:** A rich text editor with a toolbar containing icons for Bold (B), Italic (I), Underline (H), Quote, Bulleted List, Numbered List, Link, Image, Eye, and a circular icon. Below the editor is a status bar showing 'lines: 1 words: 0 0:0'.
- Queue:** A dropdown menu.
- Buttons:** 'Save and Publish' (blue), 'Save as Draft' (grey), and 'Discard Changes' (red outline).

- Title: The title of your competition.
- Logo: The logo corresponding to your competition
- Description: The description of your competition
- Queue: If you've previously created a queue through queue management, you can assign it to your competition here.

Participation

The participation tab covers your terms and conditions for the competition, and settings for auto-approval of participants.

The screenshot shows the 'Terms' section of the Competition Creation Form. At the top, there are navigation tabs: Details, Participation (selected), Pages, Phases, Leaderboard, and Collaborators. Below the tabs, the 'Terms' section is titled 'Terms' with a red asterisk. It features a rich text editor toolbar with icons for Bold (B), Italic (I), Header (H), Quote, Bulleted List, Numbered List, Link, Image, Eye, and Help. The main content area is empty. At the bottom right of the editor, it shows 'lines: 1 words: 0 0.0'. Below the editor, there is a checkbox labeled 'Auto approve registration requests' with a help icon. At the bottom, there are three buttons: 'Save and Publish' (blue), 'Save as Draft' (grey), and 'Discard Changes' (red).

- Terms: Your terms and conditions for the competition.
- Auto Approve Registration: If checked, the organizer is not required to approve new participants.

Pages

In the pages section, you can add any additional content you would like to display to competition participants as pages. (Tabs on the competition detail page).

The screenshot shows the 'Pages' section of the Competition Creation Form. At the top, there are navigation tabs: Details, Participation, Pages (selected), Phases, Leaderboard, and Collaborators. Below the tabs, the 'Pages' section is titled 'Pages'. It contains a message: 'No pages added yet, at least 1 is required!'. At the bottom right of the section, there is a green button labeled '+ Add page'. At the bottom, there are three buttons: 'Save and Publish' (blue), 'Save as Draft' (grey), and 'Discard Changes' (red).

Clicking **Add page** should present you a modal with the following layout:

Page form

Title *

Content *

B
I
H
“ ”
☰ ☷
🔗
🖼️
👁️
❓

lines: 1 words: 0 0:0

Cancel
Save

- Title: The title of the page you are adding
- Content: The content of your page formatted as Markdown.

Phases

The phases section allows you to define your phases and their attached tasks.

☑ Details
☑ Participation
☑ Pages
Phases
Leaderboard
Collaborators

Phases

No phases added yet, at least 1 is required!

+ Add phase

Save and Publish
Save as Draft
Discard Changes

By clicking `Add phase`, you should be presented with a modal for phase creation:

Edit phase

Name *

Start * End

Tasks ⓘ *

Description *

B *I* **H** | “ ” | ☰ ☷ | 🔗 🖼️ 👁️ ⓘ

lines: 1 words: 0 0:0

▼ Advanced ⚙️

Execution Time Limit ⓘ

Max Submissions Per Day ⓘ

Max Submissions Per Person ⓘ

➡ Manage Tasks / Datasets
Cancel
Save

- Name: The name of your phase
- Start: The start day of your phase
- End: The end day of your phase
- Tasks: Here you can assign one or multiple task objects to your phase. Tasks are problems that the submission should be solving. For more information, see the explanation on competition structure [here](#): If you don't have any tasks created yet, click the green button at the bottom of the new phase modal titled `Manage Tasks/Datasets`
- Description: The description of your phase

Advanced

- Execution Time Limit: The time limit for submission execution time measured in seconds (Currently the label says this is measured in MS, but this seems to be false)
- Max submissions per day: The max submissions allowed for the phase. The time period is from midnight UTC to midnight the next day UTC.
- Max submissions per person: The absolute max amount of submissions a participant can make on this phase.

Leaderboards

The leaderboards section allows you to define leaderboards which determine how submissions are scored.

Details
 Participation
 Pages
 Phases
 Leaderboard
 Collaborators

Leaderboards

No leaderboards added yet, at least 1 is required!

[+ Add leaderboard](#)

[Save and Publish](#)
[Save as Draft](#)
[Discard Changes](#)

Clicking add leaderboard should bring up this modal:

Leaderboard form

Title *

Key ⓘ *

Primary Column	No Columns Yet!
Computation	
Sorting	
Column Key *	

[+ Add column](#)
[Cancel](#)
[Save](#)

- Title: The title of your leaderboard
- Key: A unique name to refer to this leaderboard by (Preferably lowercase)

Adding a column will add some fields for the values of the column:

Leaderboard form

Title * Key ⓘ *

	<input type="text" value="New Column"/>
Primary Column	<input type="checkbox"/>
Computation	<input type="text" value="None"/>
Sorting	<input type="text" value="Descending"/>
Column Key *	<input type="text"/>
	<  >

- Title (Unlabeled top input): The title of your column
- Primary Column: Whether this is the main column in the leaderboard (I.E: Is the sum/average of other columns)
- Computation (None/Average): If average is selected, this column should not have a score submitted to it, and will be a computation of the average of all the other columns.
- Sorting: Determine which way scores are sorted for this column.
- Column Key: A unique key to refer to this column by.

Collaborators

Here you can add other users to your competition as administrators.

Details
 Participation
 Pages
 Phases
 Leaderboard
 Collaborators

Collaborators

No collaborators yet!


As per the other pages, clicking `Add collaborator` should bring up a modal. The search text can be the user's email if you know it, or their username.

Add collaborator


Username *

3.1.6 Competition Creation Bundle

This page is relatively simple. It's where you submit a completed competition bundle to Codabench, in order for it to be processed into a competition instance. For more information on competition bundles, see this link here: [Competition Bundle Structure](#).



To begin, just click the paper clip icon, or the bar next to it. It should open a file select dialogue. From here, you select your competition bundle, and click upload. Once Codabench is done processing and unpacking your competition, you should be greeted with a success message and a link to your new competition.



Backward compatibility

If you previously used [CodaLab Competitions](#), note that Codabench is compatible with CodaLab bundles.

3.1.7 Competition YAML Structure

A competition bundle is simply a zip file containing the `competition.yaml` which defines different aspects and attributes of your competition such as the logo, the html/markdown pages documenting your competition, and the data associated with your competition.

What is a Competition?

A competition is composed of a phase or many phases defining the active times of the competition, along with some other settings such as execution time limit. Each phase can have one or more tasks.

A task is the problem the submission should be solving, therefore submissions that solve a task can be thought of as a solution. A task consists of reference data, input data, scoring program, and an ingestion program.

For starting kits in v2, they should be solutions included with the competition bundle. See the example `competiton.yaml` or the section Competition YAML below for a link with more info. For more information on the different types of data, see the lower section of this page.

Example Competition Bundle Layout:

Some competition bundle examples!

Note

Files can be under a directory, they just have to be referenced by their full path in the YAML. See the Competition YAML section below.

```
--\ example_competition.zip
|
|- competition.yaml
|- logo.png
|- example_reference_data.zip
|- example_scoring_program.zip
|- example_solution.zip
|- overview.md
|- evaluation.md
|- terms_and_conditions.md
|- data.md
```

Example competition.yaml:

```
competition.yaml

title: Example Competition Submit Scores
description: An example competition where submissions should output the score they want
image: logo.jpg
terms: terms.md
pages:
  - title: overview
    file: overview.md
  - title: evaluation
    file: evaluation.md
  - title: terms
    file: terms_and_conditions.md
  - title: data
    file: data.md
phases:
  - index: 0
    name: First phase
    description: An example phase
    start: 2018-03-01
    end: 2027-03-01
    tasks:
      - 0
tasks:
  - index: 0
    name: First Phase Task
    description: Task for the first phase
    scoring_program: example_scoring_program.zip
    reference_data: example_reference_data.zip
solutions:
  - index: 0
    path: example_solution.zip
    tasks:
      - 0
```

```

leaderboard:
  - title: Results
    key: main
    columns:
      - title: score
        key: score
        index: 0
        sorting: desc

```

Competition YAML

The `competition.yaml` file is the most important file in the bundle. It's what Codabench looks for to figure out the structure and layout of your competition, along with additional details. For more information on setting up a `competition.yaml` see the docs page here: [Competition YAML](#)

Data Types And Their Role:

REFERENCE DATA:

Reference data is typically the truth data that your participant's predictions are compared against.

SCORING PROGRAM

The scoring program is the file that gets ran to determine the scores of the submission, typically either based on the submission's prediction outputs, or the results from the submission itself when compared with the reference data. Usually this should be a script like a python file, but it can generally be anything.

This is also paired with a `metadata.yaml` file with a key `command` that correlates to the command used to run your scoring program. There are also special directories available for use.

Example: Here's what a `metadata.yaml` might look like:

metadata.yaml

```
command: python3 /app/program/scoring.py /app/input/ /app/output/
```

This specifies that python3 is going to run the scoring program (which is going to be located in `/app/program/scoring.py`). It also gives, as `args`:- The input folder, which contains either the user's own results or predictions from ingestion - The output folder where the score is placed.

The arguments are optional, but passing them may be more convenient.

The scoring program outputs a `scores.json` file containing the results for each column of the leaderboard. After computing a submission, this file should look like something like this:

scores.json

```
{"accuracy": 0.886, "duration": 42.4}
```

The keys should match the leaderboard columns keys defined in [the competition.yaml file](#).

The scoring program can also output detailed results as an HTML file for each submission. [Click here for more information](#).

INGESTION PROGRAM

The ingestion program is a file that gets ran to generate the predictions from the submissions if necessary. This is usually a python script or a script in another language, but it can generally be anything.

The ingestion program is also paired with a `metadata.yaml` that specifies how to run it. It should have a key `command` that is the command used to run your ingestion program. The same special directories should be available to your ingestion program.

Example: Here's what an ingestion `metadata.yaml` might look like this:

metadata.yaml

```
command: python3 /app/program/ingestion.py /app/input_data/ /app/output/ /app/program /app/ingested_program
```

Just like the example above, this specifies we're using python to run our ingestion program. Please note that it is not necessary to pass these directories as arguments to the programs, but it can be convenient. More information about the folder layout [here](#).

INPUT DATA

This is usually the test data used to generate predictions from a user's code submission when paired with an ingestion program.

3.1.8 YAML Structure

This page describes all the attributes in the Codabench competition definition language, using [YAML](#). This is used to create configuration files in Codabench competition bundles.

[Iris competition YAML file example!](#)

Versioning

A version for the YAML is required as this platform can support multiple versions of a `competition.yaml` file. For examples of v1.5 bundles, look [here](#).

For all v2 style competition bundles, be sure to add `version: 2` to the top of the `competition.yml` file.

Note: Not all features of v1.5 competitions are currently supported in v2.

Competition Properties

REQUIRED

- **title:** Title of the competition
- **image:** File path of competition logo, relative to `competition.yaml`
- **terms:** File path to a markdown or HTML page containing the terms of participation participants must agree to before joining a competition

OPTIONAL

- **description:** A brief description of the competition.
- **registration_auto_approve:** True/False. If True, participation requests will not require manual approval by competition administrators. Defaults to False
- **docker_image:** Can specify a specific docker image for the competition to use. Defaults to `codalab/codalab-legacy:py3`. [More information here](#).
- **make_programs_available:** Can specify whether to share the ingestion and scoring program with participants or not. Always available to competition organizer.
- **make_input_data_available:** Can specify whether to share the input data with participants or not. Always available to competition organizer.
- **queue:** Queue submissions are sent to. Can be used to specify competition specific compute workers. Defaults to the standard queue shared by all competitions. The queue should be referenced by its **Vhost**, not by its name. You can find the Vhost in [Queue Management](#) by clicking the eye button [View Queue Detail](#).
- **enable_detailed_results:** True/False. If True, competition will watch for a `detailed_results.html` file and send its contents to storage. [More information here](#).
- **show_detailed_results_in_submission_panel:** a boolean (default: `True`) If set to `True`, participants can see detailed results in the submission panel
- **show_detailed_results_in_leaderboard:** a boolean (default: `True`) If set to `True`, participants can see detailed results in the leaderboard
- **contact_email:** a valid contact email to reach the organizers.
- **reward:** a string to show the reward of the competition e.g. "\$1000" for competition.
- **auto_run_submissions:** a boolean (default: `True`) if set to `False`, organizers have to manually run the submissions of each participant
- **can_participants_make_submissions_public:** a boolean (default: `True`) if set to `False`, participants cannot make their submissions public from submissions panel.
- **forum_enabled:** a boolean (default: `True`) if set to `False`, organizers and participants cannot see or interact with competition forum.

```
# Required
version: 2
title: Compute Pi
image: images/pi.png
terms: pages/terms.md

# Optional
description: Calculate pi to as many digits as possible, as quick as you can.
registration_auto_approve: True
```

```
docker_image: codalab/codalab-legacy:py37 # default docker image
make_programs_available: True
make_input_data_available: False
enable_detailed_results: True
show_detailed_results_in_submission_panel: True
show_detailed_results_in_leaderboard: True
contact_email: organizer_email@example.com
reward: $1000 prize pool
auto_run_submissions: True
can_participants_make_submissions_public: False
forum_enabled: True
```

Pages

REQUIRED

- **title:** String that will be displayed in the competition detail page as the title of the page
- **file:** File path to a markdown or HTML page relative to competition.yaml containing the desired content of the page.

```
pages:
- title: Welcome
  file: welcome.md
- title: Getting started
  file: pages/getting_started.html
```

Phases

REQUIRED

- **name:** Name of the phase
- **start:** Datetime string for the start of the competition. ISO format strings are recommended. Use `YYYY-MM-DD HH:MM:SS` date-time format. (Example date-time: 2024-12-31 14:30:00)
- **end:** Datetime string for the end of the phase (optional for *last phase only*. If not supplied for the final phase, that phase continues indefinitely). Use `YYYY-MM-DD HH:MM:SS` date-time format. (Example date-time: 2024-12-31 14:30:00)
- **tasks:** An array of numbers pointing to the index of any defined tasks relevant to this phase (see tasks for more information)

OPTIONAL

- **index:** Integer for noting the order of phases, Phases *must* be sequential, without any overlap. If indexes are not supplied, ordering will be assumed by declaration order.
- **max_submissions:** Total submissions allowed per participant for the entire phase
- **max_submissions_per_day:** Submission limit for each participant for a given day
- **auto_migrate_to_this_phase:** Cannot be set on the first phase of the competition. This will re-submit all successful submissions from the previous phase to this phase at the time the phase starts.
- **execution_time_limit:** Execution time limit for submissions, given in seconds. Default is 600.
- **hide_output:** True/False. If True, stdout/stderr for all submissions to this phase will be hidden from users who are not competition administrators or collaborators.
- **hide_prediction_output:** True/False. If True, participants won't be able to download the "Output from prediction step".
- **hide_score_output:** True/False. If True, participants won't be able to download the "Output from scoring step" containing the `scores.txt` file.
- **starting_kit:** path to the starting kit, a folder that participants will be able to download. Put there any useful files to help participants (example submissions, notebooks, documentation).
- **public_data:** path to public data, that participants will be able to download.
- **accepts_only_result_submissions**(default=False): When set to True, the phase is expected to accept only result submissions.

```
phases:
- index: 0
  name: Development Phase
  description: Tune your models
  start: 2019-12-12 13:30:00 # Time in UTC+0 and 24-hour format
  end: 2020-02-01 00:00:00 # Time in UTC+0 and 24-hour format
  execution_time_limit: 1200
  starting_kit: starting_kit
  public_data: public_data
  accepts_only_result_submissions: True
```

```

tasks:
  - 0
- index: 1
  name: Final Phase
  description: Final testing of your models
  start: 2020-02-02 00:00:00 # Time in UTC+0 and 24-hour format
  auto_migrate_to_this_phase: True
  accepts_only_result_submissions: False
  tasks:
    - 1

```

Tasks

REQUIRED

- **index:** Number used for internal reference of the task, pointed to by solutions (below) and phases (above)
- **name:** Name of the Task
- **scoring_program:** File path relative to `competition.yaml` pointing to a `.zip` file or an unzipped directory, containing the scoring program

OR

- **key:** UUID of a task already in the database. **If key is provided, all fields other than index will be ignored**

OPTIONAL

- **description:** Brief description of the task
- **input_data:** File path to the data to be provided during the prediction step
- **reference_data:** File path to the data to be provided to the scoring program
- **ingestion_program:** File path to the ingestion program files
- **ingestion_only_during_scoring:** True/False. If true, the ingestion program will be run in parallel with the scoring program, and can communicate w/ the scoring program via a shared directory

```

tasks:
  - index: 0
    name: Compute Pi Development Task
    description: Compute Pi, focusing on accuracy
    input_data: dev_phase/input_data/
    reference_data: dev_phase/reference_data/
    ingestion_program: ingestion_program.zip
    scoring_program: scoring_program.zip
  - index: 1
    name: Compute Pi Final Task
    description: Compute Pi, speed and accuracy matter
    input_data: final_phase/input_data/
    reference_data: final_phase/reference_data/
    ingestion_program: ingestion_program.zip
    scoring_program: scoring_program.zip

```

Solutions

REQUIRED

- **index:** Index number of solution
- **tasks:** Array of the tasks (referenced internally) for which this solution applies.
- **path:** File path to `.zip` or directory containing the solution data.

```

solutions:
  - index: 0
    path: solutions/solution1.zip
    tasks:
      - 0
      - 1
  - index: 1
    path: solutions/solution2/
    tasks:
      - 0

```

Fact Sheet

OPTIONAL

JSON for asking metadata questions about each submission when they are submitted - **KEY**: Programmatic name for a response. Should not contain any whitespace. - **QUESTION TYPE**: - **checkbox**: Prompts the user with a checkbox for a yes/no or true/false type question - **Required SELECTION**: [true, false] - **text**: Prompts the user with a text box to write a response. - **Required SELECTION**: "" - `"is_required": "false"` will allow the user not to submit a response. Otherwise, the user will have to type something. - **select**: Gives the user a dropdown to select a value from. - **SELECTION**: Give an array of comma separated values that the user can select from: ["Value1","Value2","Value3",...,"ValueN"] - **TIP**: If you want this selection to be optional you can add "" as an option. ex. ["", "Value1", ...] and set `"is_required": "false"` - `is_on_leaderboard`: setting this to "true" will show this response on the leaderboard along with their submission.

STRUCTURE

```
fact_sheet: {
  "[KEY]": {
    "key": "[KEY]",
    "type": "[QUESTION TYPE]",
    "title": "[DISPLAY NAME]",
    "selection": [SELECTION],
    "is_required": ["true" OR "false"],
    "is_on_leaderboard": ["true" OR "false"]
  }
}
```

```
fact_sheet: {
  "bool_question": {
    "key": "bool_question",
    "type": "checkbox",
    "title": "boolean",
    "selection": [True, False],
    "is_required": "false",
    "is_on_leaderboard": "false"
  },
  "text_question": {
    "key": "text_question",
    "type": "text",
    "title": "text",
    "selection": "",
    "is_required": "false",
    "is_on_leaderboard": "false"
  },
  "text_required": {
    "key": "text_required",
    "type": "text",
    "title": "text",
    "selection": "",
    "is_required": "true",
    "is_on_leaderboard": "false"
  },
  "selection": {
    "key": "selection",
    "type": "select",
    "title": "selection",
    "selection": ["", "v1", "v2", "v3"],
    "is_required": "false",
    "is_on_leaderboard": "true"
  }
}
```

Leaderboards

LEADERBOARD DETAILS

REQUIRED

- **title**: Title of leaderboard
- **key**: Key for scoring program to write to
- **columns**: An array of columns (see column layout below)

OPTIONAL

- **submission_rule**: "Add", "Add_And_Delete", "Add_And_Delete_Multiple", "Force_Last", "Force_Latest_Multiple" or "Force_Best". It sets the behavior of the leaderboard regarding new submissions. See [Leaderboard Functionality](#) for more details.
- **hidden**: True/False. If True, the contents of this leaderboard will be hidden to all users who are not competition administrators or collaborators.

Column Details

REQUIRED

- **title:** Title of the column
- **key:** Key for the scoring program to write to. The keys must match the keys of the `scores.json` file returned by the scoring program, as explained with more details [here](#).
- **index:** Number specifying the order the column should show up on the leaderboard

OPTIONAL

- **sorting:** sorting order for the column: Descending (desc) or Ascending (asc)
- Ascending: smaller scores are better
- Descending: larger scores are better
- **computation:** computation to be applied *must be accompanied by computation indexes*
- computation options: sum, avg, min, max
- **computation_indexes:** an array of indexes of the columns the computation should be applied to
- **precision:** (*integer, default=2*) to round the score to *precision* number of digits
- **hidden:** (*boolean, default=False*) to hide/unhide a column on leaderboard

```

leaderboards:
- title: Results
  key: main
  submission_rule: "Force_Last"
  columns:
  - title: Accuracy Score 1
    key: accuracy_1
    index: 0
    sorting: desc
    precision: 2
    hidden: False
  - title: Accuracy Score 2
    key: accuracy_2
    index: 1
    sorting: desc
    precision: 3
    hidden: False
  - title: Max Accuracy
    key: max_accuracy
    index: 2
    sorting: desc
    computation: max
    precision: 3
    hidden: False
    computation_indexes:
      - 0
      - 1
  - title: Duration
    key: duration
    index: 3
    sorting: asc
    precision: 2
    hidden: False

```

3.1.9 Competition Docker Image

The competition docker image defines the docker environment in which the submissions of the competitions or benchmarks are run. Each competition can have a different docker environment, referred by its [DockerHub](#) name and tag.


Default competition docker image

The default competition docker image is `codalab/codalab-legacy:py37`. More information here: <https://github.com/codalab/codalab-dockers>

Set up another image

You can select another docker image:

- In the `competition.yaml` file, using `docker_image: username/image:tag`
- In the editor field "Competition Docker image" as shown in the following screenshot:



Building an image

If the default image does not suit your needs (missing libraries, etc.), you can either:

- Select an existing image from DockerHub
- Create your own image from scratch
- Create a custom image based on the Codalab image. (more information below)

If you wish to create a custom image based on the Codalab image, you can follow the steps below:



- 1) Install Docker
- 2) Sign up to DockerHub
- 3) `docker run -itd -u root codalab/codalab-legacy:py39 /bin/bash`
- 4) Use `docker ps` to find running container id
- 5) Now run `docker exec -it -u root <CONTAINER ID> bash`
- 6) Install anything you want at the docker container shell (`apt-get install`, `pip install`, etc.)
- 7) Exit the shell with `exit`
- 8) `docker commit <CONTAINER ID> username/image:tag`
- 9) `docker login`
- 10) `docker push username/image:tag`

3.1.10 Dataset Competition Creation and participate instruction

This page focuses on how to create a dataset contest via bundle and make submission for dataset competition

Overall process

The brief process can be summarized in the following diagram



There are two main parts: - the contest organizer creates the dataset competition by uploading a bundle (For more information on how to create a contest via bundle, and the definition of bundle, you can refer to this link [Competition-Creation-Bundle](#))


- Competition participant submission dataset

Differences from the code submission competition

FOR THE COMPETITION CREATOR

The main difference is the definition of the bundle, which differs from the code commit bundle in 2 ways



Input data



- In the code submission, input data folder is filled with the dataset files


- In the dataset submission, input data folder is filled with the sample code submission files(NB: the sample code submission file is the algorithm file to be submitted by the participants in the code submission.)

Ingestion program



- Unlike the code submission, we need to switch the position of the variables \$input and \$submission_program - In a dataset submission competition, the contents of \$submission_program is the dataset submitted by the participant, and the contents of \$input is the competition creator's built-in sample code submission.

For the competition participant



- The left-hand side of the image above shows the contents of the documents that competition participants need to prepare for the code submission competition

- the right-hand side of the image above shows the contents of the documents that competition participants need to prepare for the dataset submission competition
- The competition creator needs to define the bundle by specifying the content of the dataset file to be uploaded
- For example, the right-hand side of the picture shows the contents of the dataset file required for the HADACA competition to run.
- Therefore, when competition participants upload their dataset submission, the zip file must contain all the files shown on the right side of the picture above.

3.1.11 Leaderboard Features

For specific information on leaderboard and column fields, see the explanations in the [YAML structure](#).

Writing scores

A leaderboard and column are written to via their keys. A leaderboard declaration like so

```
leaderboard:
- title: Results
  key: main
  submission_rule: "Force_Last"
  columns:
  - title: Accuracy Score 1
    key: accuracy_1
    index: 0
    sorting: desc
  - title: Accuracy Score 2
    key: accuracy_2
    index: 1
    sorting: desc
  - title: Max Accuracy
    key: max_accuracy
    index: 2
    sorting: desc
    computation: max
    computation_indexes:
      - 0
      - 1
  - title: Duration
    key: duration
    index: 3
    sorting: asc
```

would require, via the scoring program, the following `scores.json` file

scores.json

```
{"accuracy_1": 0.5, "accuracy_2": 0.75, "duration": 123.45}
```

This is the end result shown on the leaderboard:

Accuracy Score 1	Accuracy Score 2	Max Accuracy	Duration
0.5	0.75	0.75	123.45

Computation

Scores should not be written to computation columns, instead they will be calculated by the platform at the time scores are read from `scores.json`.

Computation options are: - sum - avg - min - max

These are applied across the columns specified as `computation_indexes`.

So in the example above, the computation option specified is `max` and the indexes are 0 and 1, meaning we will take the max score of columns at index 0 and 1 (i.e. .5 and .75) so .75 is returned in the computation.

Primary columns

Ranking is determined first by the primary column of the leaderboard. In the `competition.yaml`, this is the column at index 0. This option can be changed in the competition editor. After sorting scores by the primary column (asc or desc as specified on the column) sorting then continues from left to right. Final sorting is done by the `submitted_at` timestamp, so that if submissions have identical scores (as in the case of baselines), the earlier submissions will be ranked higher.

Example (with Max Accuracy set as the primary column):

Rank	Accuracy Score 1	Accuracy Score 2	Max Accuracy	Duration
1	0.5	0.75	0.75	123.45
2	0.43	0.75	0.75	123.45

	3		0.6		0.6		0.6		100		# submitted at Jan 1, 2020
	4		0.6		0.6		0.6		100		# submitted at Jan 2, 2020

So we sort the submissions by the primary column, (Max Accuracy) and then by columns from left to right, so accuracy 1, then accuracy 2, then duration, then by submission_at.

Submission rules

The submission rule set the behavior of the leaderboard regarding new submissions. Submissions can be forced to the leaderboard or manually selected, can be unique or multiple on the leaderboard, etc.

- **Add:** Only allow adding one submission
- **Add And Delete:** Allow users to add a single submission and remove that submission
- **Add And Delete Multiple:** Allow users to add multiple submissions and remove those submissions
- **Force Last:** Force only the last submission
- **Force Latest Multiple:** Force latest submission to be added to leaderboard (multiple)
- **Force Best:** Force only the best submission to the leaderboard

Here are the corresponding values for the YAML field `submission_rule`: "Add", "Add_And_Delete", "Add_And_Delete_Multiple", "Force_Last", "Force_Latest_Multiple" or "Force_Best".

Hidden Leaderboard

If a leaderboard is marked as hidden, it will not be visible to participants in the competition. It will only be visible to platform administrators, competition administrators, and competition collaborators.

Downloading Leaderboard Data

If an administrator, competition administrator, and competition collaborator would like to download the current leaderboard data, they will have access to a button labeled "CSV" on the leaderboard page. This creates a downloadable ZIP file. Each CSV file inside will be titled with the name of the leaderboard. The first row of the CSV is the title for each column, followed by all the submissions on the leaderboard. This can be access directly through the API by sending a GET request to `[HOSTNAME]/api/competitions/'ID'/get_csv` where 'ID' is the competition ID.

3.1.12 Public Tasks and Tasks Sharing

Codabench tasks are a combination of datasets and programs:

- Scoring program
- Ingestion program
- Input data
- Reference data

A scoring program is required while others are optional in a task.

In the [Codabench Resources Interface](#) you can upload datasets and programs in the **Datasets & Programs** tab and then create a task in the **Tasks** tab.

Example of uploaded datasets and programs:

File Name	Type	Size	Uploaded	In Use	Public	Delete?
Iris - Reference Data	reference_data	570.6 KB	30 seconds ago			<input type="checkbox"/>
Iris - Input Data	input_data	570.6 KB	47 seconds ago			<input type="checkbox"/>
Iris - Scoring Program	scoring_program	570.6 KB	66 seconds ago			<input type="checkbox"/>
Iris - Ingestion Program	ingestion_program	570.6 KB	118 seconds ago			<input type="checkbox"/>

Example of a task created using the above datasets and programs:

Name	Description	Creator	In Use	Public	Actions
Iris - Image Classification	The image classification task for the iris dataset involves using images of iris flowers to predict their species (setosa, versicolor, or virginica). The submitted model to this task should train on visual features like petal and sepal dimensions. This task aims to evaluate model accuracy and performance on this well-known dataset using the F1-score metric.	ih-san			<input type="checkbox"/>
MNIST - Image Classification	The image classification task for the MNIST dataset involves using images of handwritten digits (0-9) to predict their correct label. The submitted model for this task should train on pixel values of the grayscale images. This task aims to evaluate model accuracy and performance on this widely-used dataset using the precision metric.	ih-san			<input type="checkbox"/>
House Price Regression	The regression task involves using a dataset of house features, such as square footage, number of bedrooms, and location, to predict house prices. The submitted model should train on these numerical and categorical features to make accurate price predictions. This task aims to evaluate model performance using the mean squared error (MSE) metric.	ih-san			<input type="checkbox"/>

Make a Task Public

You can make a task public that you have created by clicking on the task name to show task details and then click the button `Make Public`

EXAMPLE OF TASK DETAILS:

Iris - Image Classification Share Task

The image classification task for the iris dataset involves using images of iris flowers to predict their species (setosa, versicolor, or virginica). The submitted model to this task should train on visual features like petal and sepal dimensions. This task aims to evaluate model accuracy and performance on this well-known dataset using the F1-score metric.

Created By: [ihсан](#)
 Uploaded: 4 minutes ago
 Shared With:
 Used in Competitions:
 Has Been Validated : No
 Is Public: No

↶ Make Public

Files
Solutions

Type	Name	
input_data	Iris - Input Data	
reference_data	Iris - Reference Data	
scoring_program	Iris - Scoring program	
ingestion_program	Iris - Ingestion program	

Search Public Tasks

To search public tasks, you can check the `Show Public Tasks` to view public tasks from other users

Submissions
Datasets and programs
Tasks
Competition Bundles
?

Show Public Tasks

✕ Delete Selected Tasks
+ Create Task

Name	Description	Creator	In Use	Public	Actions	
Iris - Image Classification	The image classification task for the iris dataset involves using images of iris flowers to predict their species (setosa, versicolor, or virginica). The submitted model to this task should train on visual features like petal and sepal dimensions. This task aims to evaluate model accuracy and performance on this well-known dataset using the F1-score metric.	ihсан			✎ 🗑	<input type="checkbox"/>
MNIST - Image Classification	The image classification task for the MNIST dataset involves using images of handwritten digits (0-9) to predict their correct label. The submitted model for this task should train on pixel values of the grayscale images. This task aims to evaluate model accuracy and performance on this widely-used dataset using the precision metric.	ihсан			✎ 🗑	<input type="checkbox"/>
House Price Regression	The regression task involves using a dataset of house features, such as square footage, number of bedrooms, and location, to predict house prices. The submitted model should train on these numerical and categorical features to make accurate price predictions. This task aims to evaluate model performance using the mean squared error (MSE) metric.	ihсан			✎ 🗑	<input type="checkbox"/>

1

Use Public Tasks in Competitions

You can use public tasks created by other people in your competitions, to do this follow the steps below:

1. Open your competition and click `Edit` button

2. Click the `Phases` tab and click the edit button in front of the phase where you want to use a public task

3. Start writing the task name in the `Tasks` field and the matching task will show up. Click the task in the list to select it

3.1.13 Detailed Results and Visualization

Detailed results is a means of passing extra information from the scoring program to the frontend.

This is done via writing to a `detailed_results.html` file (OR any `.html` -- first by alphabetical order -- in the output folder), and setting `enable_detailed_results` to `True` in competition settings (via yaml or editor).

This file is watched for changes and updated on the frontend every time the file is updated, so users can get a live feed from the compute worker.

There is no limitation to the contents of this HTML file, and can thus be used to relay any information desired. Use case ideas:

- Plot data using a python plot library like matplotlib or seaborn.
- plot the learning curve over time of a reinforcement learning challenge
- plot the slope of a linear regression model
- plot the location of clusters in a classification challenge
- plot anything you can conceive of
- Run a profiler that outputs a network of method calls.
- Display any additional data about the submission file that can not be distilled down in to a score of some kind

How to include figures

Figures can be included directly inside the HTML code, by converting them in bytes format. An example is given in the [scoring program of the Mini-AutoML bundle](#).

scoring.py

```
[...]

# Path
input_dir = '/app/input' # Input from ingestion program
output_dir = '/app/output/' # To write the scores
reference_dir = os.path.join(input_dir, 'ref') # Ground truth data
prediction_dir = os.path.join(input_dir, 'res') # Prediction made by the model
score_file = os.path.join(output_dir, 'scores.json') # Scores
html_file = os.path.join(output_dir, 'detailed_results.html') # Detailed feedback

def write_file(file, content):
    """ Write content in file.
    """
    with open(file, 'a', encoding="utf-8") as f:
        f.write(content)

def make_figure(scores):
    x = get_dataset_names()
    y = [scores[dataset] for dataset in x]
    fig, ax = plt.subplots()
    ax.plot(x, y, 'bo')
    ax.set_ylabel('accuracy')
    ax.set_title('Submission results')
    return fig

def fig_to_b64(fig):
    buf = io.BytesIO()
    fig.savefig(buf, format='png')
    buf.seek(0)
    fig_b64 = base64.b64encode(buf.getvalue()).decode('ascii')
    return fig_b64

def main():
    # Initialized detailed results
    write_file(html_file, '<h1>Detailed results</h1>') # Create the file to give real-time feedback

    [...] # compute the scores

    # Create a figure for detailed results
    figure = fig_to_b64(make_figure(scores))
    write_file(html_file, f'')
```

Example


When the visualization is enabled, a link to the detailed results can be found on the leaderboard for each submission:

Results 								
	Fact Sheet Answers	Development Task						
y	Method name	Average Accuracy	Dataset 1	Dataset 2	Dataset 3	Dataset 4	Duration	Detailed Results
	Random Forest	0.9	0.86	0.79	0.97	1.0	3.08	Show detailed results
	K-Nearest Neighbors	0.87	0.77	0.76	0.96	1.0	1.4	Show detailed results
	Decision Tree	0.87	0.81	0.69	0.97	1.0	0.22	Show detailed results
	MultiLayer Perceptron	0.86	0.79	0.67	0.99	1.0	3.02	Show detailed results
	Gaussian NB	0.85	0.79	0.77	0.92	0.91	0.12	Show detailed results

The `detailed_results.html`, generated by the scoring program, is then shown:

Detailed Results

Detailed results



3.2 Running a Benchmarks

3.2.1 Benchmark Management & List Page

This page will show you how to create, manage, edit and delete your competitions.

It will also show you how to track the competitions you are currently in.

The screenshot displays the 'Competition Management' interface. At the top, there is a search bar and navigation links for 'Competitions', 'Tasks & Datasets', and 'Queue Management'. The user is identified as 'tthomas63'. The main content area features two tabs: 'Competitions I'm Running' (highlighted with a red box and labeled '3 & 4') and 'Competitions I'm In'. Below the tabs is a table with columns for 'Name', 'Uploaded...', 'Publish', 'Edit', and 'Delete'. A single row is visible for the competition 'Classify Wheat Seeds', uploaded '37 days ago'. The 'Publish' button is highlighted with a red box and labeled '5', the 'Edit' button with '6', and the 'Delete' button with '7'. The 'Name' cell is also highlighted with a red box and labeled '8'. The 'Create' and 'Upload' buttons are highlighted with a red box and labeled '1 & 2'. The footer contains 'Chasuite' links (Competitions v1.5, Chahub, Chagrade), 'About' links (About, Github, Privacy and Terms), and 'Codalab v2' information (Join us on Github for contact & bug reports).

Competition create button (Form)

This button will take you to the wizard/form for creating competitions. This will allow you to walk through each step of creating a competition using our creation/edit form. For more information on this form/wizard, please see the following link: [Competition Creation: Form](#)

Competition create button (Upload)

This button will take you to the upload page for competition bundles. Here you will be able to upload a competition bundle, and if it is validated and processed successfully, you should see a link to your new competition. For more information on this page, please see the following link: [Competition Creation: Bundle](#)

Competitions I'm running tab

This should be the default selection for the tab navigation at the top. Having this selected will show you all the competitions you currently run/manage, and the available actions for them.

Competitions I'm in tab

Clicking on this tab will change the main view of the page. You should now see a list of competitions you're competing in (Without any competition administrator options). Clicking any of these titles should bring you to the competition detail page of that competition.

Publish competition button

This button will publish your competition in order to make it publicly available. If your competition is already published, this button will appear green and be used to remove your competition from public availability (It will not be deleted). By default, if your competition is un-published, it appears grey.

Edit competition button

This button will take you to the wizard/form for editing competitions. For more information on the competition edit form, please see the link [here](#)

Delete competition button

Deletes your competition. There will be a confirmation dialogue before deletion. We cannot recover deleted competitions.

Competition link

A link to the competition's detail page where users can register, make submissions, view the leaderboard and terms, etc. For more information about the competition detail page, see the link [here](#)

The competition detail page is the main way to interact with competitions. This is where your participants (Or if you are a participant) will read the pages you uploaded, register, make submissions, and check results.

The screenshot shows the 'MINI-AUTOML' competition detail page. It features a header with the competition name, a 'PARTICIPANTS' badge (4), and a 'SUBMISSIONS' badge (30). Below the header is a navigation bar with buttons for 'Edit', 'Participants', 'Submissions', 'Dumps', and 'Migrate'. The 'Edit' button is circled in blue and labeled '1'. The main content area displays 'ORGANIZED BY: Pavao', 'CURRENT PHASE ENDS: 1 Août 2024 À 02:00 UTC+2', and 'CURRENT SERVER TIME: 31 Mai 2024 À 15:52 UTC+2'. A 'Secret url' is provided with a document icon, which is circled in blue and labeled '2'. Below this is a timeline from March 2023 to July 2024. A navigation bar at the bottom includes 'Get Started', 'Phases', 'My Submissions', 'Results', and 'Forum', with 'Forum' circled in blue and labeled '3'. On the left, a sidebar menu has 'Overview' circled in blue and labeled '4', along with 'Data', 'Evaluation', and 'Terms'.

1) Editor (organizer feature)

2) Copy competition secret URL (Document icon, secret URL covered)


3) Competition Detail Tab Navigation

- Get Started
- Phases
- My Submissions
- Results
- Forum (if enabled)

4) Competition Detail Tab Pane Navigation

Competition organizer features

These features are only for competition organizers.



Mini-AutoML

MINI-AUTOML

Edit Participants Submissions Dumps Migrate

ORGANIZED BY: Pavao

CURRENT PHASE ENDS: 1 Août 2024 À 02:00 UTC+2

CURRENT SERVER TIME: 31 Mai 2024 À 15:52 UTC+2

Docker image: [codalab/codalab-legacy:py39](https://codalab.com/codalab-legacy/py39)

Secret url: https://www.codabench.org/competitions/1187/?secret_key=d40e2b77-8e98-4fa4-a613-56e163228294

- Editor
- Manage participants
- Manage submissions
- Manage dumps (save the current state of the competition as a bundle)
- Migration

SUBMISSIONS

From here, you can: - Delete submissions - Re-run submissions - Set a submissions score - Force a submission to leaderboard

You can also view the logs, and all output associated with a submission.

<input type="checkbox"/> All	ID #	File name	Owner	Phase	Date	Status	Score	Detailed Results	Actions
<input type="checkbox"/>	65425	sample_code_submission.zip	pavao	Development	2024-05-28 15:49	Finished	0.86		
<input type="checkbox"/>	65423	sample_code_submission.zip	pavao	Development	2024-05-28 15:37	Finished	0.87		
<input type="checkbox"/>	53446	sample_code_submission.zip	pavao	Development	2024-04-03 13:20	Finished	0.86		

- Download CSV: Download a CSV file with all submission info
- Re-run all submissions per phase: Re-runs all submissions in a phase.
- Search: Used to search for a submission by file name
- Phase: Used to filter submissions by phase
- Status: Used to filter submissions by status
- Action Buttons:
 - Blue Circular Arrow: Re-runs the submission
 - Yellow Cross: Cancels the current submission if it is running
 - Red Trash Can: Deletes the submission
 - Green arrow: Puts this submission on the leaderboard

PARTICIPANTS

From here, you should be able to: - Email all participants - Approve/Deny participants - Revoke participants

Username	Email	Is Bot?	Status	Actions
[blurred]	[blurred]	false	Approved	 
[blurred]	[blurred]	false	Approved	 
[blurred]	[blurred]	false	Approved	 

- Search: Search for a participant by username or email address.
- Status: Filter participants by status
- Email Participants: Opens a modal to email all participants:
- Subject: The email subject
- Content: The email content

Send Email

Subject

A message from the admins of Mini-AutoML

Content

B *I* **H** |    |   |  

COPY COMPETITION SECRET URL

Clicking the document icon copies the competition secret URL to your clipboard.

3.2.2 Competition Detail Tab Navigation

Used to navigate between the different sections of the competition detail page.

GET STARTED

Contains all the organizer made pages, and some defaults.

Nov 2019
Feb 2020
May 2020
Aug 2020
Nov 2020
Feb 2021
May 2021
Aug 2021
Nov 2021
Feb 2022
May 2022
Aug 2022
Nov 2022
Feb 2023
May 2023
Aug 2023
Nov 2023
Feb 2024
May 2024
Aug 2024
Nov 2024
Feb 2025
May 2025
Aug 2025
Nov 2025
Feb 2026
May 2026
Aug 2026
Nov 2026
Feb 2027
May 2027
Aug 2027
Nov 2027

Get Started Phases My Submissions Results

Participation

Files

How to participate

Data has been normalized

Seed:

```
class Model:
    def fit(self, X_train, y_train):
        """
        This should handle the logic of training your model
        :param X_train: 7 dimensional np.array of training data
        :param y_train: 1 dimensional np.array of the same length as X_train. Contains classifica
        """
        pass

    def predict(self, X_test):
        """
        This should handle making predictions with a trained model
        :param X_test: 7 dimensional np.array of testing data
        :return: 1 dimensional np.array of the same length as X_test containing predictions to ea
        """
        pass
```

PHASES

Contains a diagram list with details on each phase in the order in which they're active.

Nov 2019
Feb 2020
May 2020
Aug 2020
Nov 2020
Feb 2021
May 2021
Aug 2021
Nov 2021
Feb 2022
May 2022
Aug 2022
Nov 2022
Feb 2023
May 2023
Aug 2023
Nov 2023
Feb 2024
May 2024
Aug 2024
Nov 2024
Feb 2025
May 2025
Aug 2025
Nov 2025
Feb 2026
May 2026
Aug 2026
Nov 2026
Feb 2027
May 2027
Aug 2027
Nov 2027

Get Started Phases My Submissions Results

- ▶ DEVELOPMENT PHASE
- ▼ TESTING PHASE


START:
November 20, 2019, 12:38 PM PST

END:
December 30, 2027, 4:00 PM PST

DESCRIPTION:
Final Phase: test against unseen data

MY SUBMISSIONS

This view contains a table with all your submissions, and allows you to upload new ones.



The image shows a competition interface with a timeline at the top from Nov 2019 to Nov 2027. Below the timeline are navigation tabs: 'Get Started', 'Phases', 'My Submissions', and 'Results'. Under 'Phases', there are buttons for 'Development Phase' and 'Testing Phase'. The main section is titled 'Submission upload' and contains a file upload area with a search bar and a status dropdown. Below this is a table of submissions.

#	File name	Status	Actions
1	model.py.zip	Finished	

RESULTS

This view contains the leaderboard results.

Results										
Task:					Fact Sheet Answers	Development Task				
#	Participant	Entries	Date	ID	Method name	Average Accuracy	Dataset 1	Dataset 2	Dataset 3	Dataset 4
	Pavao	17	2023-07-26 17:40	15595	Random Forest	0.9	0.86	0.79	0.97	1.0
	NewName	3	2023-07-26 17:35	15593	KNN	0.87	0.77	0.76	0.96	1.0
	Pavao	17	2023-10-05 13:01	26995		0.87	0.77	0.76	0.96	1.0

3.2.3 Ressource Management Submissions, Datasets/Programs, Tasks and Competition Bundles

This page is where you can manage your resources e.g. Submissions, Datasets, Programs, Tasks, and Competition Bundles. You can also view and manage your quota on this page.

You can access this interface by clicking on **"Resources"** in the main menu:



Submissions

In this tab, you can view all your submissions either uploaded in this interface or submitted to a competition.

Submissions
Datasets and programs
Tasks
Competition Bundles
?

Show Public

✕ Delete Selected Submissions
+ Add Submission

File Name	Competition in	Size	Uploaded	Public	Delete?
iris_submission.zip	Iris Competition	3.2 KB	2 seconds ago		✕ <input type="checkbox"/>
Iris-Submission-Augmentation.zip		593.4 KB	18 minutes ago		✕ <input type="checkbox"/>
Iris-Submission-PyTorch.zip		593.4 KB	19 minutes ago		✕ <input type="checkbox"/>
Iris-Submission-TF.zip		593.4 KB	19 minutes ago		✕ <input type="checkbox"/>

1

By clicking the **Add Submission** button you can fill a form and attach a submission file to upload a new submission. This is useful in different cases e.g. when you want to share a sample submission with the participants of a competition you are organizing.

Add Submission Form

↑ Upload

✕ Cancel

Datasets/Programs

In this tab, you can view the datasets and programs that you have uploaded. You can also view auto-created and publicly available datasets/programs by checking the relevant checkboxes.

The screenshot shows the 'Datasets and programs' tab. At the top, there are tabs for 'Submissions', 'Datasets and programs', 'Tasks', and 'Competition Bundles'. Below the tabs is a search bar and a 'Filter By Type' dropdown. There are also checkboxes for 'Show Auto Created' and 'Show Public'. To the right are buttons for 'Delete Selected' (red) and 'Add Dataset/Program' (green). The main area contains a table with the following data:

File Name	Type	Size	Uploaded	In Use	Public	Delete?
iris-reference-data.zip	reference_data	0.5 KB	23 minutes ago	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iris-input-data.zip	input_data	4.5 KB	23 minutes ago	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iris-scoring-program.zip	scoring_program	13.3 KB	23 minutes ago	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iris-ingestion-program.zip	ingestion_program	17.5 KB	23 minutes ago	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

At the bottom right of the table area, there is a page indicator showing '1'.

By clicking the **Add Dataset/Program** button you can fill a form and attach a dataset file to upload.

The screenshot shows the 'Add Dataset/Program Form'. The form has the following fields:

- Name**: A text input field.
- Description**: A text input field.
- Type**: A dropdown menu.
- File Upload**: A text input field with a paperclip icon on the left.

At the bottom right of the form, there are two buttons: **Upload** (blue) and **Cancel** (red).

You can click on a dataset/program and make it public or private. This is useful when you want to share a dataset with participants so that they can use it to prepare a submission for a competition.

iris-input-data.zip

Details

Key	Created By	Created	Type	Public
92eb73d1-c4a9-473f-8175-49874fb68d1a	ihсан	1 November 2024	Input Data	False

Used by:

- [Iris Competition](#)

[↻ Make Public](#)
[↓ Download File](#)
[Close](#)

For a general breakdown of the roles of different types of datasets, see this link: [Competition Bundle Structure: Data types and their role.](#)

Tasks

In this tab, you can manage your tasks. You can create a new task, upload a task and check task details.

Submissions
Datasets and programs
Tasks
Competition Bundles
?

Show Public Tasks

✕ Delete Selected Tasks
+ Create Task
↑ Upload Task

Name	Description	Creator	In Use	Public	Actions
Iris Mini Task	Iris Mini Task	ihсан			✎ 🗑 <input type="checkbox"/>
Iris Task	Iris Task for Flower classification	ihсан	✓		✎ 🗑 <input type="checkbox"/>

1

CREATE NEW TASK

To create a new task, you have to fill the form by entering task name and description

Create Task

Details Datasets and programs

Name *

Description *



Create Cancel

You also have to select datasets and programs from the already uploaded ones in the Datasets/Programs tab

Create Task

Details Datasets and programs

Scoring Program *

Ingestion Program

Reference Data

Input Data

Create Cancel

EDIT A TASK

You can change the task name and description

Update Task

Details

Datasets and programs

Name *

Description *

Iris Task for Flower classification

Note: It is the organizer's responsibility to rerun submissions on the updated task if needed.

Update

Cancel

You can also change the datasets/programs used in the task

Update Task

Details

Datasets and programs

Scoring Program *

Reference Data

Ingestion Program

Input Data

Note: It is the organizer's responsibility to rerun submissions on the updated task if needed.

Update

Cancel

Note

Organizers should be careful when updating a task because some submissions may have used the task and updating the task will not allow you to rerun those submissions because the task they have used is now changed.

UPLOAD A TASK

You can create a new task by uploading a task zip that has the required files in the correct format.

Upload Task

Upload a zip of your task here to create a new task. For assistance check the documentation [here](#).

📎

📤 Upload
Cancel

Create a zip file that consists of a `task.yaml` file and zips of datasets/programs if required. You can use already existing datasets/program by using their keys in the yaml, or upload new datasets/programs or use a mix of keys and files e.g. you choose to use already existing input data and reference data but use zip files for ingestion and scoring program. In the last case, codabench will create two programs and then use them in your task and will use existing datasets in the same task.

Check the files below for examples of task upload zips.

- [task_with_keys_only.zip](#)
- [task_with_files_only.zip](#)
- [task_with_mix_of_keys_and_files.zip](#)

For reference, here is the content of the `task.yaml` file that you can find inside the `task_with_mix_of_keys_and_files.zip` task:

task.yaml

```
name: Iris Task
description: Iris Task for Flower classification
is_public: false
scoring_program:
  zip: iris-scoring-program.zip
ingestion_program:
  zip: iris-ingestion-program.zip
input_data:
  key: 6c3e6dde-d0fa-4c22-af66-030187dbfd4f
reference_data:
  key: c4179c3f-498c-486a-8ac5-1e194036a3ed
```

TASK DETAILS

In the task details, you can view all the task details e.g. title, description, task owner, created date, people with whom this task is shared, competitions where this task is used, the datasets/programs used in this task and option to download them, and option to make the task public/private.

Iris Task

Share Task 

Iris Task for Flower classification

Created By: [ihсан](#)

Uploaded: 51 minutes ago

Shared With:

Used in Competitions:

- [Iris Competition](#)

Key: 0f08728f-7229-4cab-a631-1f886fcd9e82

Has Been Validated  : No

Is Public: No

Files

Solutions

Type	Name	
input_data	iris-input-data.zip	
reference_data	iris-reference-data.zip	
scoring_program	iris-scoring-program.zip	
ingestion_program	iris-ingestion-program.zip	

Competition Bundles

In this tab, you can manage your competition bundles. These bundles are stored when you create your competitions using a zip.

Submissions
Datasets and programs
Tasks
Competition Bundles
?

x Delete Selected

File Name	Benchmark	Size	Uploaded	Delete?	
ihсан - competition_bundle		474.7 KB	19 minutes ago	x	<input type="checkbox"/>
ihсан - competition_bundle		362.3 KB	7 days ago	x	<input type="checkbox"/>
ihсан - competition_bundle - Mini-AutoML		665.1 KB	19 days ago	x	<input type="checkbox"/>

1

Quota and Cleanup

This section of the resource interface shows you the usage of your quota. A free quota of 15 GB is given to all the users and this can be increased by the platform administrators in special circumstances for selected users. You can also do some quick cleanup from here by deleting unused resources e.g. submissions, datasets and tasks etc.

Quota and Cleanup

Quota: 7.9MiB / 15.0GiB

Unused Tasks (1)	 Delete unused tasks
Unused Datasets and Programs	 Delete unused datasets/programs
Unused Submissions (3)	 Delete unused submissions
Failed Submissions	 Delete failed submissions

3.2.4 Update programs or data

In this page, you'll learn how to update critical elements of your benchmark like the scoring program or the reference data, while your benchmark is already up and running.

For a general overview of resources management, [click here](#).

In order to update your programs or data, you have two approaches: - **A**. Edit an existing Task (simpler and straightforward) - **B**. Create a new Task

Let's see both approaches in detail.

A. Edit an existing Task

1. PREPARE THE NEW DATASET OR PROGRAM


- Make local changes to the elements you want to update: scoring program, ingestion program, input data and/or reference data.
- Zip the new version of your program or data. **Make sure to zip the files at the root of the archive, without zipping the folder structure.**

2. UPLOAD THE NEW DATASET OR PROGRAM


- Go to Resources



- Go to "Datasets and Programs" and click on "Add Dataset/Program"



- Fill in the form: Name the new program or dataset, select the type (scoring program, input data, etc.), and select your ZIP file




3. UPDATE THE TASK USED BY YOUR BENCHMARK

Still on "Resources" page, go to the "Task" tab. Find the task you want to edit. In order to recognize it, make sure it is marked as "In Use", and click to see more information and make sure it is related to the right benchmark.

Then click on the pencil symbol to edit it:

Test phase Task	Test Phase: this is an "automatic" phase under which we evaluate your last submission of the validation phase on different but similar test scenarios. This will test against agent overfitting and will create the final leader board. This phase will be concluded on 11th of October 2023 until which a scientific report is expected. The final scores and scientific report will be the basis on which the jury will further select the winner of the competition.	Pavao	✓			<input type="checkbox"/>
-----------------	---	-------	---	---	---	--------------------------

Start typing the name of your new program or dataset in the corresponding field and select it, then save.



Done! Your task is updated and its new version will be triggered by new submissions. You don't need to update the benchmark/competition for the change to take effect.


B. Create a new Task

1. PREPARE YOUR NEW DATASET / PROGRAM

First, upload the new versions of your program and/or dataset. To that end, follow steps 1. and 2. presented above.

2. CREATE TASK

- Go to "Resources" > "Task" > "Create Task"



- Fill in all fields: Name, Description, Scoring program, (optionally: Ingestion program, Reference data, Input data)

EDIT YOUR BENCHMARK

- Once your task is created, go to the editor of your challenge

Edit

Participants

Submissions

Dumps

Migrate

- Go to "Phases" and edit the relevant phase

Details

Participation

Pages

Phases

Leaderboard

Administrators

Phases

Development



Testing



[+ Add phase](#)

- Select your new task and save

Tasks (Order will be saved) Note: Adding a new task will cause all submissions to be run against it. ? *

Development Task ×

Done! Your benchmark is now ready to run your new task for future submissions.

3.2.5 Queue Management

The queue management page lists all queues you have access to, and optionally all current public queues.

For queues you've created, it will also show options for editing, deleting, copying and displaying the broker URL.

You can also create new queues from this page. You can use the [server status page](#) to have an overview of the submissions made to a queue you own.

Name	Owner	Created	Public	Actions
Hidden Test	tthomas63	30 days ago		
Public Test Queue	tthomas63	30 days ago	<input checked="" type="checkbox"/>	

- 1) [Show Public Queues](#)
- 2) [Create Queue](#)
- 3) [Action Buttons](#)

- Eye Icon
- Document Icon
- Edit Icon
- Trash Icon

Show Public Queues

Enabling this checkbox will display public queues as well as queues you organized, or have been given access to. You will not be able to edit them, but you can view queue details and copy the broker URL.

Create Queue

Clicking this button will bring up a modal with the queue form.



Queue Form

Name *

Name

Make Public?

Collaborators

Select Collaborator

Submit Cancel

The following fields are present:

- Name: The name of the queue
- Make Public: If checked, this queue will be available for public use.
- Collaborators: A multi-select field that you can search for users by username or email. These will be people who have access to your queue.

Action Buttons

EYE ICON

Clicking this button will show you details about your queue such as the Broker URL and Vhost name.

DOCUMENT ICON

The document icon is used to copy the broker URL to your clipboard with one-click.

EDIT ICON

The edit icon brings up the queue modal/form for editing the current queue.


TRASH ICON

The trash icon deletes the current queue. There will be a confirmation dialogue. Once this is done your queue is gone forever so be careful.

Compute workers setup

See [compute worker management and setup](#) for more information about workers configuration.

Internal and external compute workers can be linked to Codabench competitions. The queues dispatch the jobs between the compute workers. Note that a queue can receive jobs (submissions) from several competitions, and can send them to several compute workers. The general architecture of queues and workers can be represented like this:



3.2.6 Compute Worker Management & Setup

Compute workers are simply machines that are able to accept/send celery messages on the port used by the broker URL you wish to connect to that have a compute worker image, or other software to receive submissions. This means that you can add computing power to your competitions or benchmarks if needed! Any computer, from your own physical machines to virtual machines on cloud computing services can be used for this purpose. You can add multiple workers to a queue to process several submissions simultaneously.

 To use Podman, go to the [Podman documentation](#).

To use Docker, follow these instructions below:

Steps:

- Have a machine (*either physical or virtual, 100 GB storage recommended*)
- Install Docker
- Pull Compute Worker Image
- Run the compute worker via Docker

Install Docker

Either:

a) Install docker via the installation script: <https://docs.docker.com/install/linux/docker-ce/ubuntu/#install-using-the-convenience-script>

```
curl https://get.docker.com | sudo sh
sudo usermod -aG docker $USER
```

b) Install manually, following the steps at: <https://docs.docker.com/install/>

Pull Compute Worker Image

On the compute worker machine, run the following command in a shell:

```
docker pull codalab/competitions-v2-compute-worker
```

That will pull the latest image for the v2 worker. For specific versions, see the docker hub page at: <https://hub.docker.com/r/codalab/competitions-v2-compute-worker/tags>

Start CPU worker

You will get your Broker URL from the instance. More information about Queues [here](#)

Make a file `.env` and put this in it:

```
.env
BROKER_URL=pyamqp://<login>:<password>@www.codabench.org:5672/
HOST_DIRECTORY=/codabench
# If SSL isn't enabled, then comment or remove the following line
BROKER_USE_SSL=True
#USE_GPU=True
#GPU_DEVICE=nvidia.com/gpu=all
```

Note

- The broker URL is a unique identifier of the job queue that the worker should listen to. To create a queue or obtain the broker URL of an existing queue, you can refer to [Queue Management](#) docs page.
- `/codabench` -- this path needs to be volumed into `/codabench` on the worker, as you can see below. You can select another location if convenient.

Create a `docker-compose.yml` file and paste the following content in it:

docker-compose.yml

```
# Codabench Worker
services:
  worker:
    image: codalab/codabench-compute-worker:latest
    container_name: compute_worker
    volumes:
      - /codabench:/codabench
      - /var/run/docker.sock:/var/run/docker.sock
    env_file:
      - .env
    restart: unless-stopped
    #hostname: ${HOSTNAME}
    logging:
      options:
        max-size: 50m
        max-file: 3
```

Note

`hostname: ${HOSTNAME}` allows you to set the hostname of the compute worker container, which will then be shown in the [server status](#) page on Codabench. This can be set to anything you want, by setting the `HOSTNAME` environment variable on the machine hosting the Compute Worker, then uncommenting the line the `docker-compose.yml` before launching the compute worker.

Note

Starting from `codalab/competitions-v2-compute-worker:v1.22` the images are now unified for Podman and Docker CPU/GPU

You can then launch the worker by running this command in the terminal where the `docker-compose.yml` file is located:

```
docker compose up -d
```

DEPRECATED METHOD (ONE LINER)

Alternately, you can use the `docker run` below:

```
docker run \
  -v /codabench:/codabench \
  -v /var/run/docker.sock:/var/run/docker.sock \
  -d \
  --env-file .env \
  --name compute_worker \
  --restart unless-stopped \
  --log-opt max-size=50m \
  --log-opt max-file=3 \
  codalab/competitions-v2-compute-worker:latest
```

Start GPU worker

Make a `.env` file, as explained in CPU worker instructions.

Warning

Don't forget the `USE_GPU=true` in the `.env` if you want to use a GPU runner

Then, install the NVIDIA toolkit: [Nvidia toolkit installation instructions](#)

Once you install and configure the NVIDIA container toolkit, you can create a `docker-compose.yml` file with the following content:

docker-compose.yml

```
# Codabench GPU worker (NVIDIA)
services:
  worker:
    image: codalab/codabench-compute-worker:latest
    container_name: compute_worker
    volumes:
      - /codabench:/codabench
      - /var/run/docker.sock:/var/run/docker.sock
    env_file:
      - .env
    restart: unless-stopped
    #hostname: ${HOSTNAME}
    logging:
      options:
        max-size: 50m
        max-file: 3
```

Note

`hostname: ${HOSTNAME}` allows you to set the hostname of the compute worker container, which will then be shown in the [server status](#) page on Codabench. This can be set to anything you want, by setting the `HOSTNAME` environment variable on the machine hosting the Compute Worker, then uncommenting the line the `docker-compose.yml` before launching the compute worker.

Note

Starting from `codalab/competitions-v2-compute-worker:v1.22` the images are now unified for Podman and Docker CPU/GPU

You can then launch the worker by running this command in the terminal where the `docker-compose.yml` file is located:

```
docker compose up -d
```

NVIDIA-DOCKER WRAPPER (DEPRECATED METHOD)

Nvidia installation instructions

```
nvidia-docker run \
-v /codabench:/codabench \
-v /var/run/docker.sock:/var/run/docker.sock \
-v /var/lib/nvidia-docker/nvidia-docker.sock:/var/lib/nvidia-docker/nvidia-docker.sock \
-d \
--env-file .env \
--name compute_worker \
--restart unless-stopped \
--log-opt max-size=50m \
--log-opt max-file=3 \
codalab/competitions-v2-compute-worker:gpu
```

Note that a competition docker image including CUDA and other GPU libraries, such as `codalab/codalab-legacy:gpu`, is then required.

Check logs

Use the following command to check logs and ensure everything is working fine:

```
docker logs -f compute_worker
```

Cleaning up periodically

It is recommended to clean up docker images and containers regularly to avoid filling up the storage.

1. Run the following command:

```
sudo crontab -e
```

1. Add the following line:

```
@daily docker system prune -af
```

Keep track of the worker

It is recommended to store the docker container hostname to identify the worker. This way, it is easier to troubleshoot issues when having multiple workers in one queue. To get the hostname, simply run `docker ps` and look at the key `CONTAINER ID` at the beginning of the output:


```
$ docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS        NAMES
1a2b3d4e5f67   codalab/competitions-v2-compute-worker:latest  "/bin/sh -c 'celery ..."  3 days ago    Up 3 days    compute_worker
```

For each submission made to your queue, you can know what worker computed the ingestion and the scoring jobs in the [server status page](#).

Optional: put data directly inside the compute worker

The folder `$HOST_DIRECTORY/data`, usually `/codabench/data`, is shared between the host (the compute worker) and the container running the submission (a new container is created for each submission). It is mounted inside the container as `/app/data`. This means that you can put data in your worker, in `$HOST_DIRECTORY/data`, so it can be read-only accessed during the job's process. You'll need to modify the scoring and/or ingestion programs accordingly, to points to `/app/data`. This is especially useful if you work with confidential data, or with a heavy dataset.

 If you have several workers in your queue, remember to have the data accessible for each one.



Warning

Make sure to make the owner of the folder(s) and file(s) the same as the one launching the compute worker.

- `root` for Docker rootfull

- `codalab` for Podman and Docker rootless if you created a user name `codalab` to launch podman and docker rootless from



If you simply wish to set up some compute workers to increase the computing power of your benchmark, you don't need to scroll this page any further.

Building compute worker

This is helpful only if you want to build the compute worker image. It is not needed if you simply want to set up compute workers to run submissions.

To build the normal image:

```
docker build -t codalab/codabench-compute-worker:latest -f packaging/container/Containerfile.compute_worker .
```

To update the image (add tag `:latest`, `:gpu` or else if needed)

```
docker push codalab/codabench-compute-worker
```



If you have running compute workers, you'll need to pull again the image and to restart the workers to take into account the changes.

Update docker image

If the compute worker docker image was updated, you can reflect the changes using the following commands.

Check no job is running:

```
docker ps
```

Update the worker:

```
docker compose down  
docker compose pull  
docker compose up -d
```

3.2.7 Compute Worker Management with Podman

Here is the specification for compute worker installation by using Podman.

Requirements for the host machine

We need to install Podman on the VM. We use Debian based OS, like Ubuntu. Ubuntu is recommended, because it has better Nvidia driver support.

```
sudo apt install podman
```

After installing Podman, you will need to launch the service associated to it with

```
systemctl --user enable --now podman
```

Then, configure where Podman will download the images: Podman will use Dockerhub by adding this line into `/etc/containers/registries.conf`:

```
unqualified-search-registries = ["docker.io"]
```

Create the `.env` file in order to add the compute worker into a queue (here, the default queue is used. If you use a particular queue, then, fill in your `BROKER_URL` generated when creating this particular queue):

```
.env
BROKER_URL=pyamqp://<login>:<password>@www.codabench.org:5672/
HOST_DIRECTORY=/codabench
# If SSL isn't enabled, then comment or remove the following line
BROKER_USE_SSL=True
CONTAINER_ENGINE_EXECUTABLE=podman
#USE_GPU=True
#GPU_DEVICE=nvidia.com/gpu=all
```

You will also need to create the `codabench` folder defined in the `.env` file, as well as change its permissions to the user that is running the compute worker.

```
In your terminal
sudo mkdir /codabench
sudo mkdir /codabench/data
sudo chown -R $(id -u):$(id -g) /codabench
```

You should also run the following command if you don't want the container to be shutdown when you log out of the user:

```
sudo loginctl enable-linger *username*
```

Make sure to use the username of the user running the podman container.

For GPU compute worker VM

You will need to install the `nvidia-container-toolkit` package by following the instructions on this [link](#)

If you have multiple Nvidia GPUs, you can uncomment `#GPU_DEVICE=nvidia.com/gpu=all` and put the name of the GPU you want the compute worker to use. You can get the name by launching the following command:

```
nvidia-ctk cdi list
```

You will also need to uncomment this line in your `.env` file:

```
.env
USE_GPU=True
```

Compute worker installation

Note

Starting from `codalab/competitions-v2-compute-worker:v1.22` the images are now unified for Podman and Docker CPU/GPU and has been renamed to `codalab/codabench-compute-worker:latest`

Run the compute worker container :

```
podman run -d \  
--volume /run/user/${id -u}/podman/podman.sock:/run/user/1000/podman/podman.sock:U \  
--env-file .env \  
--name compute_worker \  
--security-opt="label:disable" \  
--userns host \  
--restart unless-stopped \  
--log-opt max-size=50m \  
--log-opt max-file=3 \  
--hostname ${HOSTNAME} \  
--cap-drop all \  
--volume /codabench:/codabench:U,z \  
codalab/codabench-compute-worker:latest
```

Warning

To launch a Podman compatible GPU worker, you will need to have podman version 5.4.2 minimum

Don't forget the `USE_GPU=true` in the `.env` if you want to use a GPU runner

3.2.8 Server Status

The server status page gives information about past and current submissions, and is useful for troubleshooting. Any user can access the interface, and get information about their own submissions and the submissions made to queues they own. Administrators can see all submissions. Here is an overview of the page:

Recent submissions (up to 250 or 2 days old)


Show child submissions ?

Competition	Submission PK	Size	Submitter	Queue	Ingestion Hostname	Scoring Hostname	Submitted at	Status
	17940	27.7 MB			59ec81b9fd49	None	27 minutes ago	Running
	17937	19.2 MB		*	None	None	38 minutes ago	Submitting
	17936	27.7 MB			0825170b5571	83163dc0d0fa	47 minutes ago	Finished
	17935	5.0 KB			6c8aa46b6533	2bac6c337c70	1 hour, 19 minutes ago	Running

Note that * refers to the default queue of the platform. "Hostname" refers to the docker container ID of the compute worker that computed the job.

How to access the interface

You can access it either from the top right menu, or from the "Queue management" page, as shown in the screenshots below.



Search by name... Show Public Queues ? [+ Create Queue](#)

Name	Owner	Created	Public	Actions
				👁 📄 ✎ 🗑
				👁 📄 ✎ 🗑
				👁 📄 ✎ 🗑
				👁 📄 ✎ 🗑
				👁 📄
				👁 📄
				👁 📄

[Open Server status page](#)

4. Developers and Administrators

4.1 Codabench Basic Installation Guide

Compared to Codalab, installing Codabench should be relatively easy since you no longer have to worry about special ways to set up SSL or storage. We include default solutions that should handle that for most basic uses.

4.1.1 Pre-requisites

Install Docker and Docker Compose

- [Docker](#)
- [Docker Compose](#)

4.1.2 Clone Repository

Download the Codabench repository:

```
git clone https://github.com/codalab/codabench
```

4.1.3 Edit the settings (.env)

The `.env` file contains the settings of your instance. On a fresh installation, you will need to use the following command to get your `.env` file:

```
cd codabench
cp .env_sample .env
cp my-postgres_sample.conf my-postgres.conf
```

Then edit the necessary settings inside. The most important are the database, storage, and Caddy/SSL settings in the `.env`. For a quick **local** setup, you should not need to edit these files. For a [public server deployment](#), you will have to modify some settings.

⚠ It is important to change the default passwords if you intend for the instance to be public

If you are using `AWS_S3_ENDPOINT_URL=http://minio:9000/` in your `.env`, edit your `/etc/hosts` file by adding this line `127.0.0.1 minio`

FOR MACOS

In `.env`, replace:

```
AWS_S3_ENDPOINT_URL=http://minio:9000/
```

by

```
AWS_S3_ENDPOINT_URL=http://docker.for.mac.localhost:9000/
WORKER_BUNDLE_URL_REWRITE=http://docker.for.mac.localhost:9000|http://minio:9000
```

✏ If needed, some troubleshooting of this step is provided at the end of this page or in this page

4.1.4 Start the service

To deploy the platform, run:

```
docker compose up -d
```

4.1.5 Run the following commands

Create the required tables in the database:

```
docker compose exec django ./manage.py migrate
```

Generate the required static resource files:

```
docker compose exec django ./manage.py collectstatic --noinput
```

You should be able to verify it is running correctly by looking at the logs with `docker compose logs -f` and by visiting `localhost:80` (Depending on your configuration).

4.1.6 Advanced Configuration

Testing

To run automated tests for your local instance, get inside the Django container with `docker compose exec django bash` then run `py.test` to start the automated tests.

SSL

To enable SSL:

- If you already have a DNS for your server that is appropriate, in the `.env` simply set `DOMAIN_NAME` to your DNS. Remove any port designation like `:80`. This will have Caddy serve both HTTP and HTTPS.

 **For a public instance, HTTPS is strongly recommended**

Validate user account on local instance

When deploying a local instance, the email server is not configured by default, so you won't receive the confirmation email during signup.

To manually confirm your account:

1. Find the confirmation link in the Django logs using `docker compose logs -f django`
2. Replace `example.com` by `localhost` on the URL and open it in your browser.

Another way is to go inside the Django containers and use commands like in [administrative procedures](#).

Troubleshooting storage endpoint URL

You may have to manually change the endpoint URL to have your local instance working. This may be an OS related issue. Here is a possible fix:

1. `docker compose logs -f minio`
2. Grab the first one of these IP addresses:

```
minio_1 | Browser Access:
minio_1 | http://172.27.0.5:9000 http://127.0.0.1:9000
```

3. Set `AWS_S3_ENDPOINT_URL=http://172.27.0.5:9000` in your `.env` file.

If static files are not loaded correctly, adding `DEBUG=True` to the `.env` file can help.

For Apple CPU (M1, M2 chips)

Add a `docker-compose.override.yml` file with the following content:

`docker-compose.override.yml`

```
services:
  django:
    platform: linux/arm64
  site_worker:
    platform: linux/arm64
    command: ["celery -A celery_config worker -B -Q site-worker -l info -n site-worker@%n --concurrency=2"]
  compute_worker:
    platform: linux/arm64
```

Storage

By default, Codabench uses a built-in MinIO container. Some users may want a different solution, such as S3 or Azure. The configuration will vary slightly for each different type of storage.

For all possible supported storage solutions, see: <https://django-storages.readthedocs.io/en/latest/>

Remote Compute Workers

To set up remote compute workers, you can follow the steps described in our [Compute Worker Management](#) page.

4.1.7 Troubleshooting

Read the following guide for troubleshooting: [How to deploy Codabench](#).

Also, adding `DEBUG=True` to the `.env` file can help with troubleshooting the deployment.

Open a [Github issue](#) to find help with your installation

4.1.8 Online Deployment

For information about online deployment of Codabench, go to the [following page](#)

4.2 How to Deploy a Server

4.2.1 Overview

This document focuses on how to deploy the current project to the local machine or server you are on.

4.2.2 Preliminary steps

As for the [minimal local installation](#), you first need to:

1. Install docker and docker-compose (see [instructions](#))
2. Clone Codabench repository:

```
git clone https://github.com/codalab/codabench
```

4.2.3 Modify .env file configuration

Then you need to modify the `.env` file with the relevant settings. This step is critical to have a working and secure deployment.

- Go to the folder where codabench is located (`cd codabench`)

```
cp .env_sample .env
cp my-postgres_sample.conf my-postgres.conf
```

Then edit the variables inside the `.env` and the `my-postgres.conf` files. You can keep the default values of `my-postgres.conf` if you don't want to change anything

Submissions endpoint

For an online deployment, you'll need to fill in the IP address or domain name in some environment variables.

USING AN IP ADDRESS

b) For an online deployment using IP address:

Note

To get the IP address of the machine. You can use one of the following commands:

- `ifconfig -a`
- `ip addr`
- `ip a`
- `hostname -I | awk '{print $1}'`
- `nmcli -p device show`

Replace the value of IP address in the following environment variables according to your infrastructure configuration:

.env

```
SUBMISSIONS_API_URL=https://<IP ADDRESS>/api
DOMAIN_NAME=<IP ADDRESS>:80
AWS_S3_ENDPOINT_URL=http://<IP ADDRESS>/
```

USING A DOMAIN NAME (DNS)

.env

```
SUBMISSIONS_API_URL=https://yourdomain.com/api
DOMAIN_NAME=yourdomain.com
AWS_S3_ENDPOINT_URL=https://yourdomain.com
```



If you are deploying on an azure machine, then AWS_S3_ENDPOINT_URL needs to be set to an IP address that is accessible on the external network

Change default usernames and passwords

Set up new usernames and passwords:

```
DB_USERNAME=postgres
DB_PASSWORD=postgres
[...]
RABBITMQ_DEFAULT_USER=rabbit-username
RABBITMQ_DEFAULT_PASS=rabbit-password-you-should-change
[...]
FLOWER_BASIC_AUTH=root:password-you-should-change
[...]
#EMAIL_HOST_USER=user
#EMAIL_HOST_PASSWORD=pass
[...]
MINIO_ACCESS_KEY=testkey
MINIO_SECRET_KEY=testsecret
# or
AWS_ACCESS_KEY_ID=testkey
AWS_SECRET_ACCESS_KEY=testsecret
```



It is very important to set up an SSL certificate for Public deployment

4.2.4 Open Access Permissions for following port number

If you are deploying on a Linux server, which usually has a firewall, you need to open access permissions to the following port numbers

- 5672 : rabbit mq port
- 8000 : django port
- 9000 : minio port

4.2.5 Modify django-related configuration

- Go to the folder where codabench is located
- Go to the settings directory and modify `base.py` file
 - `cd src/settings/`
 - `nano base.py`
- Change the value of `DEBUG` to `True`
 - `DEBUG = os.environ.get("DEBUG", True)`



If DEBUG is not set to true, then you will not be able to load to the static resource file

- Comment out the following code

```
# =====
# Debug
# =====
# if DEBUG:
#     INSTALLED_APPS += ('debug_toolbar',)
#     MIDDLEWARE = ('debug_toolbar.middleware.DebugToolbarMiddleware',
#                  'querycount.middleware.QueryCountMiddleware',
#                  ) + MIDDLEWARE # we want Debug Middleware at the top
#     # tricks to have debug toolbar when developing with docker
#
#     INTERNAL_IPS = ['127.0.0.1']
#
#     import socket
#
#     try:
#         INTERNAL_IPS.append(socket.gethostbyname(socket.gethostname())[:-1])
#     except socket.gaierror:
#         pass
#
#     QUERYCOUNT = {
#         'IGNORE_REQUEST_PATTERNS': [
#             r'^/admin/',
#             r'^/static/',
#         ]
#     }
#
#     DEBUG_TOOLBAR_CONFIG = {
#         "SHOW_TOOLBAR_CALLBACK": lambda request: True
#     }
# }
```

4.2.6 Start service

- Execute command `docker compose up -d`
- Check if the service is started properly `docker compose ps`

```
codabench_compute_worker_1  "bash -c 'watchmedo ..." running
codabench_caddy_1           "/bin/parent caddy ..." running
codabench_site_worker_1    "bash -c 'watchmedo ..." running
codabench_django_1         "bash -c 'cd /app/sr..." running
codabench_flower_1         "flower" restarting
codabench_rabbit_1         "docker-entrypoint.s..." running
0.0.0.0:15672->15672/tcp, :::15672->15672/tcp
codabench_minio_1          "/usr/bin/docker-ent..." running
codabench_db_1             "docker-entrypoint.s..." running
codabench_builder_1        "docker-entrypoint.s..." running
codabench_redis_1         "docker-entrypoint.s..." running
0.0.0.0:6379->6379/tcp, :::6379->6379/tcp
```

- Create the required tables in the database: `docker compose exec django ./manage.py migrate`
- Generate the required static resource files: `docker compose exec django ./manage.py collectstatic --noinput`




Tip

You can generate mock data with `docker compose exec django ./manage.py generate_data` if you want to test the website. However, it is not recommended to do that on an installation that you intend to use for Production

4.2.7 Set public bucket policy to read/write

This can easily be done via the minio web console (local URL: minio:9000)



4.2.8 Checkout the log of the specified container

The following commands can help you debug

- `docker compose logs -f django` : checkout django container logs in the docker-compose service
- `docker compose logs -f site_worker` : checkout site-worker container logs in the docker-compose service
- `docker compose logs -f compute_worker` : checkout compute-worker container logs in the docker-compose service
- `docker compose logs -f minio` : checkout minio container logs in the docker-compose service

You can also use `docker compose logs -f` to get the logs of all the containers.

4.2.9 Stop service

- Execute command `docker compose down --volumes`

4.2.10 Disabling docker containers on production

To override settings on your production server, create a `docker-compose.override.yml` in the `codabench` root directory. If on your production server, you are using remote MinIO or another cloud storage provider then you don't need **minio** container. If you have already buckets available for your s3 storage, you don't need **createbuckets** container. Therefore, you should disable minio and createbuckets containers. You may also want to disable the compute worker that is contained in the main server compute, to keep only remote compute workers.

Add this to your `docker-compose.override.yml`:

docker-compose.override.yml

```
version: '3.4'
services:
  compute_worker:
    command: "/bin/true"
  minio:
    restart: "no"
    command: "/bin/true"
  createbuckets:
    entrypoint: "/bin/true"
    restart: "no"
    depends_on:
      minio:
        condition: service_started
```

Warning

This will force the following container from exiting on start:

- Compute Worker
- MinIO
- CreateBuckets

If you need one of these then remove the corresponding lines from the file before launching

4.2.11 Link compute workers to default queue

The default queue of the platform runs all jobs, except when a custom queue is specified by the competition or benchmark. By default, the compute worker of the default queue is a docker container run by the main VM. If your server is used by many users and receives several submissions per day, it is recommended to use separate compute workers and to link them to the default queue.

To set up a compute worker, follow this [guide](#)

In the `.env` file of the compute worker, the `BROKER_URL` should reflect settings of the `.env` file of the platform:

.env

```
BROKER_URL=pyamqp://<RABBITMQ_DEFAULT_USER>:<RABBITMQ_DEFAULT_PASS>@<DOMAIN_NAME>:<RABBITMQ_PORT>/
HOST_DIRECTORY=/codabench
BROKER_USE_SSL=True
```

4.2.12 Personalize Main Banner

The main banner on the Codabench home page shows 3 organization logos

- LISN
- Université Paris-Saclay
- CNRS



You can update these by:

1. Replacing the logos in `src/static/img/` folder
2. Updating the code in `src/templates/pages/home.html` to point to the right websites of your organizations

4.2.13 Frequently asked questions (FAQs)

Invalid HTTP method

Exception detail (by using `docker logs -f codabench_django_1`)

```
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:58 +0000] [14] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
```

```
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:06 +0000] [14] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:06 +0000] [14] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:07 +0000] [14] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:07 +0000] [13] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:58 +0000] [13] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:58 +0000] [14] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:58 +0000] [14] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
[2021-02-09 06:58:58 +0000] [14] [WARNING] Invalid HTTP request received.
Traceback (most recent call last):
  File "/usr/local/lib/python3.8/site-packages/uvicorn/protocols/http/httptools_impl.py", line 165, in data_received
    self.parser.feed_data(data)
  File "httptools/parser/parser.pyx", line 193, in httptools.parser.parser.HttpParser.feed_data
httptools.parser.errors.HttpParserInvalidMethodError: invalid HTTP method
^C
codabench@codabench-4paradigm:~/competitions-v2$
```

Solution

- First, modify the `.env` file and set `DJANGO_SETTINGS_MODULE=settings.develop`
- Then, restart services by using following docker-compose command

```
docker compose down --volumes
docker compose up -d
```

Missing static resources (css/js)

Solution: Change the value of the `DEBUG` parameter to `True`

- `nano competitions-v2/src/settings/base.py`
- `DEBUG = os.environ.get("DEBUG", True)`

```

140 SOCIAL_AUTH_CHAHUB_SECRET = os.environ.get('SOCIAL_AUTH_CHAHUB_SECRET', 'asdfasdf')
141
142 # Generic
143 SOCIAL_AUTH_STRATEGY = 'social_django.strategy.DjangoStrategy'
144 SOCIAL_AUTH_STORAGE = 'social_django.models.DjangoStorage'
145 SOCIAL_AUTH_ADMIN_USER_SEARCH_FIELDS = ['username', 'first_name', 'email']
146
147 # User Models
148 AUTH_USER_MODEL = 'profiles.User'
149 SOCIAL_AUTH_USER_MODEL = 'profiles.User'
150
151 # =====
152 # Debugging
153 # =====
154 DEBUG = os.environ.get("DEBUG", True)
155

```

- Also comment out the following code in `base.py`

```

388 # Google Cloud Storage
389 GS_PUBLIC_BUCKET_NAME = os.environ.get('GS_PUBLIC_BUCKET_NAME')
390 GS_PRIVATE_BUCKET_NAME = os.environ.get('GS_PRIVATE_BUCKET_NAME')
391 GS_BUCKET_NAME = GS_PUBLIC_BUCKET_NAME # Default bucket set to public bucket
392
393 # =====
394 # Debug
395 # =====
396 # if DEBUG:
397 #     INSTALLED_APPS += ['debug_toolbar',]
398 #     MIDDLEWARE = ['debug_toolbar.middleware.DebugToolbarMiddleware',
399 #                  'querycount.middleware.QueryCountMiddleware',
400 #                  ] + MIDDLEWARE # we want Debug Middleware at the top
401 #     # tricks to have debug toolbar when developing with docker
402 #
403 #     INTERNAL_IPS = ['127.0.0.1']
404 #
405 #     import socket
406 #
407 #     try:
408 #         INTERNAL_IPS.append(socket.gethostbyname(socket.gethostname()[1:-1]))
409 #     except socket.gaierror:
410 #         pass
411 #
412 #     QUERYCOUNT = {
413 #         'IGNORE_REQUEST_PATTERNS': [
414 #             r'^/admin/',
415 #             r'^/static/',
416 #         ]
417 #     }
418 #
419 #     DEBUG_TOOLBAR_CONFIG = {
420 #         "SHOW_TOOLBAR_CALLBACK": lambda request: True
421 #     }
422

```

CORS Error (could not upload bundle)

Exception detail (by checkout google develop tools)

```
boto.exceptions.EndpointConnectionError: Could not connect to the endpoint URL: "[http://docker.for.mac.localhost:9000/private/dataset/2021-02-18-1613624215/24533cfc523e/competition.zip] (http://docker.for.mac.localhost:9000/private/dataset/2021-02-18-1613624215/24533cfc523e/competition.zip)"
```

Solution: Set `AWS_S3_ENDPOINT_URL` to an address that is accessible to the external network

- `nano codabench/.env`

```

.i* You are editing a file which is ignored
30  SELENIUM_HOSTNAME= selenium
31
32  # Uncomment to enable email settings
33  #EMAIL_BACKEND=django.core.mail.backends.smtp.EmailBackend
34  #EMAIL_HOST=smtp.sendgrid.net
35  #EMAIL_HOST_USER=user
36  #EMAIL_HOST_PASSWORD=pass
37  #EMAIL_PORT=587
38  #EMAIL_USE_TLS=True
39
40  # -----
41  # Storage
42  #
43  # Pick a storage from below and uncomment that section
44  # -----
45
46  # Minio local storage example
47  MINIO_ACCESS_KEY=testkey
48  MINIO_SECRET_KEY=testsecret
49  # NOTE! if you change this port, change it in AWS_S3_ENDPOINT_URL as well
50  MINIO_PORT=9000
51
52  # Minio local storage Django settings [mocks an S3 endpoint]
53  AWS_ACCESS_KEY_ID=testkey
54  AWS_SECRET_ACCESS_KEY=testsecret
55  AWS_STORAGE_BUCKET_NAME=public
56  AWS_STORAGE_PRIVATE_BUCKET_NAME=private
57  # NOTE! port 9000 here should match $MINIO_PORT
58  #AWS_S3_ENDPOINT_URL=http://docker.for.mac.localhost:9000/
59  AWS_S3_ENDPOINT_URL=http://192.168.31.91:9000/
60  AWS_QUERYSTRING_AUTH=False
61
62  # # S3 storage example

```

Make sure the IP address and port number is accessible by external network, You can check this by :

- telnet {ip-address-filling-in AWS_S3_ENDPOINT_URL} {port-filling-in AWS_S3_ENDPOINT_URL}
- Make sure the firewall is closed on port 9000


 This problem may also be caused by a bug in MinIO, in which case you will need to follow these steps

- Upgrade the minio docker image to the latest version
- Delete the previous minio directory folder in your codabench folder under /var/minio directory
- Stop the current minio container
- Delete the current minio container and the corresponding image
- Re-execute `docker compose up -d`

Display logos error: logos don't upload from minio:

Check bucket policy of public minio bucket: read/write access should be allowed.

This can easily be done via the minio web console (local URL: minio:9000)



Compute worker execution with insufficient privileges

This issue may be encountered when starting a docker container in a compute worker, the problem is caused by the installation of snap docker (if you are using Ubuntu).

Solution

- Uninstall snap docker
- Install the official version of docker

4.2.14 Securing Codabench and Minio

Codabench uses [Caddy](#) to manage HTTPS and to secure Codabench. What you need is a valid DNS pointed towards the IP address of your instance.

Secure Minio with a reverse proxy

To secure MinIO, you should install a reverse-proxy, e.g: Nginx, and have a valid SSL certificate. Here is a tutorial sample:

[Secure MinIO with Certbot and Letsencrypt](#)

Don't forget to update your `AWS_S3_ENDPOINT_URL` parameter

Update it to `AWS_S3_ENDPOINT_URL=https://<your minio>`

Secure Minio on the same server as codabench (simpler)

Summary:

- Use same SSL certs from letsencrypt (certbot) but change fullchain.pem -> public.crt and privkey.pem -> private.key. I copied from ./certs/caddy (for django/caddy) to ./certs/minio/certs.
- You need to change the command for minio to "server /export --certs-dir /root/.minio/certs" and not just "server /export"
- Mount in certs:
- Add "-./certs/minio:/root/.minio" under the minio service's "volumes" section
- Certs must be in /\${HOME}/.minio and for dockers ends up being /root/.minio
- Edit the .env with minio cert location:

```
MINIO_CERT_FILE=/root/.minio/certs/public.crt
MINIO_KEY_FILE=/root/.minio/certs/private.key
# MINIO_CERTS_DIR=/certs/caddy # was told .pem files could work but for now separating
MINIO_CERTS_DIR=/root/.minio/certs # either this or the CERT\KEY above is redundant...but it works for now.
# NOTE! if you change this port, change it in AWS_S3_ENDPOINT_URL as well
MINIO_PORT=9000
```

- Here is an example docker-compose.yml change for this:

```
#-----
# Minio local storage helper
#-----
minio:
  image: minio/minio:RELEASE.2020-10-03T02-19-42Z
  command: server /export --certs-dir /root/.minio/certs
  volumes:
    - ./var/minio:/export
    - ./certs/minio:/root/.minio
  restart: unless-stopped
  ports:
    - $MINIO_PORT:9000
  env_file: .env
  healthcheck:
    test: ["CMD", "nc", "-z", "minio", "9000"]
    interval: 5s
    retries: 5
  createbuckets:
    image: minio/mc
    depends_on:
      minio:
        condition: service_healthy
    env_file: .env
    # volumes:
    # This volume is shared with 'minio', so 'z' to share it
    # - ./var/minio:/export
  entrypoint: >
  /bin/sh -c "
  set -x;
  if [ -n \"$MINIO_ACCESS_KEY\" ] && [ -n \"$MINIO_SECRET_KEY\" ] && [ -n \"$MINIO_PORT\" ]; then
  until /usr/bin/mc config host add minio_docker https://minio:$MINIO_PORT $MINIO_ACCESS_KEY $MINIO_SECRET_KEY && break; do
  echo '...waiting...' && sleep 5;
  done;
  /usr/bin/mc mb minio_docker/$AWS_STORAGE_BUCKET_NAME || echo 'Bucket $AWS_STORAGE_BUCKET_NAME already exists.';
  /usr/bin/mc mb minio_docker/$AWS_STORAGE_PRIVATE_BUCKET_NAME || echo 'Bucket $AWS_STORAGE_PRIVATE_BUCKET_NAME already exists.';
  /usr/bin/mc anonymous set download minio_docker/$AWS_STORAGE_BUCKET_NAME;
  else
  echo 'MINIO_ACCESS_KEY, MINIO_SECRET_KEY, or MINIO_PORT are not defined. Skipping buckets creation.';
  fi;
  exit 0;
  "
```

```

47 #-----
48 # Minio local storage helper
49 #-----
50 minio:
51   image: minio/minio:RELEASE.2020-10-03T02-19-42Z
52   command: server /export
53   volumes:
54     - ./var/minio:/export
55   restart: unless-stopped
56   ports:
57     - $MINIO_PORT:9000
58   env_file: .env
59   healthcheck:
60     test: ["CMD", "nc", "-z", "minio", "9000"]
61     interval: 5s
62     retries: 5
63   createbuckets:
64     image: minio/mc
65     depends_on:
66       minio:
67         condition: service_healthy
68     env_file: .env
69     # volumes:
70     # This volume is shared with 'minio', so 'z' to share it
71     # - ./var/minio:/export
72   entrypoint: >
73   /bin/sh -c "
74   set -x;
75   if [ -n \"$MINIO_ACCESS_KEY\" ] && [ -n \"$MINIO_SECRET_KEY\" ] && [ -n \"$MINIO_PORT\" ]; then
76   until /usr/bin/mc config host add minio_docker http://minio:$MINIO_PORT $MINIO_ACCESS_KEY $MINIO_SECRET_KEY && break; do
77   echo '...waiting...' && sleep 5;
78   done;
79   /usr/bin/mc mb minio_docker/$AWS_STORAGE_BUCKET_NAME || echo 'Bucket $AWS_STORAGE_BUCKET_NAME already exists.';
80   /usr/bin/mc mb minio_docker/$AWS_STORAGE_PRIVATE_BUCKET_NAME || echo 'Bucket $AWS_STORAGE_PRIVATE_BUCKET_NAME already exists.';
81   /usr/bin/mc anonymous set download minio_docker/$AWS_STORAGE_BUCKET_NAME;
82   else
83   echo 'MINIO_ACCESS_KEY, MINIO_SECRET_KEY, or MINIO_PORT are not defined. Skipping buckets creation.';
84   fi;
85   exit 0;
86   "

```

 **Note**

Don't forget to change the endpoint to run **https** and not **http**.

4.2.15 Workaround: MinIO and Django on the same machine with only the port 443 opened to the external network.

The S3 API signature calculation algorithm does not support proxy schemes where you host the MinIO Server API such as `example.net/s3/`.

However, we can set the same URL for minio and django site and configure a proxy for each bucket in the Caddyfile :

```
DOMAIN_NAME=https://mysite.com
AWS_S3_ENDPOINT_URL=https://mysite.com
```

Caddyfile :

```
@dynamic {
  not path /static/* /media/* /${AWS_STORAGE_BUCKET_NAME}* /${AWS_STORAGE_PRIVATE_BUCKET_NAME}* /minio*
}
reverse_proxy @dynamic django:8000

@min_bucket {
  path /${AWS_STORAGE_BUCKET_NAME}* /${AWS_STORAGE_PRIVATE_BUCKET_NAME}*
}
reverse_proxy @min_bucket minio:${MINIO_PORT}
```

4.3 Administrative Procedures

4.3.1 Maintenance Mode

You can turn on maintenance mode by creating a `maintenance.on` file in the `maintenance_mode` folder. This will change the front page of the website, showing a customizable page (the `maintenance.html` file in the same folder).

Simply remove the `maintenance_mode/maintenance.on` file to end maintenance mode.

During testing, if you want to update or restart some services (e.g : Django), you should follow the following steps:

```
docker compose stop django
docker compose rm django ## remove old django container
docker compose create django ## create new django container with the changes from your development
docker compose start django
```

This procedure helps you update changes of your development on Django without having to restart every Codabench container.

4.3.2 Give superuser privileges to a user

With superuser privileges, the user can edit any benchmark and can access the Django admin interface.

```
docker compose exec django ./manage.py shell_plus
u = User.objects.get(username='<USERNAME>') ## can also use email
u.is_staff = True
u.is_superuser = True
u.save()
```

4.3.3 Migration

```
docker compose exec django ./manage.py makemigrations
docker compose exec django ./manage.py migrate
```

4.3.4 Collect static files

```
docker compose exec django ./manage.py collectstatic --noinput
```

4.3.5 Delete POSTGRESDB and MINIO :

Warning

This will delete all your data !

```
## Begin in codabench root directory
cd codabench
```

PURGE DATA

```
sudo rm -r var/postgres/*
sudo rm -r var/minio/*
```

SEE DATA WE ARE GOING TO PURGE

```
ls var
```

RESTART SERVICES AND RECREATE DATABASE TABLES

```
docker compose down
docker compose up -d
docker compose exec django ./manage.py migrate
```

4.3.6 Feature competitions in home page

There are two ways of setting a competition as featured: 1. Use Django admin (see below) -> click the competition -> scroll down to is featured filed -> Check/Uncheck it 2. Use competition ID in the django bash to feature or unfeature a competition


```
docker compose exec django ./manage.py shell_plus
comp = Competition.objects.get(id=<ID>) ## replace <ID> with competition id
comp.is_featured = True ## set to False if you want to unfeature a competition
comp.save()
```

4.3.7 Shell Based Admin Features

If you're running your own Codabench instance, there are different ways to interact with the application. Inside the `django` container (`docker compose exec django bash`) you can use `python manage.py help` to display all available commands and a brief description. By far the most useful are `createsuperuser` and `shell/shell_plus`.

4.3.8 Django Admin interface

Once you log in an account with superuser privileges, you have access to the "Django Admin" interface:



From this interface, you can change a user's quota, change their staff and superuser status, change the featured competitions displayed on the homepage, manage user accounts and more.

EDIT ANNOUNCEMENT AND NEWS

In the Django admin interface, click on `Announcements` or `New posts` :

ANNOUNCEMENTS	
Announcements	+ Add Change
News posts	+ Add Change

For announcement, only the first announcement is read by the front page. For news, all objects are read as separate news. You can create and edit objects using the interface. Write the announcement and news using HTML to format the text, add links, and more:

Text:

```
<p>Welcome to Codabench!</p>
```

DELETE A USER

Go to `Users` :

PROFILES	
Memberships	+ Add Change
Organizations	+ Add Change
Users	+ Add Change

Select it, select the `Delete selected users` action and click on `Go` :

Action: Delete selected users ▾ Go 1 of 100 selected

<input type="checkbox"/>	USER
<input checked="" type="checkbox"/>	[blurred]

BAN/UNBAN A USER

Go to `Users` in the `django admin`:

PROFILES	
Deleted users	+ Add ✎ Change
Memberships	+ Add ✎ Change
Organizations	+ Add ✎ Change
Users	+ Add ✎ Change

Search for user using the search bar, or use the filter on the right side. Click on the username of the user to open user details, scroll down to find `Is Banned`. Check/uncheck this option to toggle the banned status.

4.3.9 RabbitMQ Management

The RabbitMQ management tool allows you to see the status of various queues, virtual hosts, and jobs. By default, you can access it at: `http://<your_coda1ab_instance>:15672/`. The username/password is your RabbitMQ `.env` settings for username and password. The port is hard-set in `docker-compose.yml` to 15672, but you can always change this if needed. For more information, see: <https://www.rabbitmq.com/management.html>

4.3.10 Flower Management


Flower is a web based tool for monitoring and administrating Celery clusters. By default, you can access the Flower web portal at `http://<your_coda1ab_instance>:5555/`. The username/password is your Flower `.env` settings for username and password. 5555 is the default port, and cannot be changed without editing the `docker-compose.yml` file.

For more information on flower, please visit: <https://flower.readthedocs.io/en/latest/>

4.3.11 Storage analytics

THE INTERFACE

The storage analytics page is accessible at <codabench-url/analytics/> under the storage tab.



From this interface, you will have access to various analytics data:

- A Storage usage history chart
- A Competitions focused storage evolution, distribution and table
- A Users focused storage evolution, distribution and table

All of those data can be filtered by date range and resolution, and exported as CSVs.

The data displayed in those charts are only calculated from a background analytics task that takes place every Sunday at 02:00 UTC time (value editable in the `src/settings/base.py`).

THE BACKGROUND TASK

The analytics task is a celery task named `analytics.tasks.create_storage_analytics_snapshot`. What it does:

- It scans the database looking for file sizes that are not set or flagged in error
- Actually measures their size and saves it in the database
- Aggregate the storage space used by day and by Competition/User (for example every day for the last year for each competition) by looking at the database file size fields
- For data related to the *Platform Administration* it measures as well the database backup folder directly from the storage instance.
- Everything is saved as multiple snapshot in time in each Category table (i.g.: `UserStorageDataPoint`)
- This tasks also runs a database <-> storage inconsistency check and saves the results in a log file located in the `var/logs/` folder

To manually start the task, you can do the following:

- Start codabench `docker compose up -d`
- Bash into the django container and start a python console:

```
docker compose exec django ./manage.py shell_plus
```

- Manually start the task:

```
from analytics.tasks import create_storage_analytics_snapshot
eager_results = create_storage_analytics_snapshot.apply_async()
```

- If you check the logs (`docker compose logs -f`) of the app you should see "Task create_storage_analytics_snapshot started" coming from the `site_worker` container
- If you have to restart the task, don't worry, it will only compute the size of the files that hasn't been computed yet.
- Once the task is over you should be able to see the results on the web page

4.3.12 Homepage counters

There is also a daily background task counting users, competitions and submissions, in order to display it on the homepage.

You can manually run it:

```
docker compose exec django ./manage.py shell_plus
```

```
from analytics.tasks import update_home_page_counters
eager_results = update_home_page_counters.apply_async()
```

4.3.13 User Quota management

INCREASE USER QUOTA

Using the Django Shell

```
docker-compose exec django ./manage.py shell_plus
```

```
u = User.objects.get(username='<USERNAME>') ## can also use email
u.quota = u.quota * 3 # We multiply the quota by 3 in this example
u.save()
```

Using the Django Admin Interface

- Go to the Django admin page
- Click user table
- Select the user for whom you want to increase/decrease quota
- Update the quota field with new quota (in GB e.g. 15)

Quota:

15

4.3.14 Codabench Statistics

You can create two types of codabench statistics:

- Overall platform statistics for a specified year
- Overall published competitions statistics

Follow the steps below to create the statistics

START CODABENCH

```
docker compose up -d
```

BASH INTO THE DJANGO CONTAINER AND START A PYTHON CONSOLE:

```
docker compose exec django ./manage.py shell_plus
```

FOR OVERALL PLATFORM STATISTICS

```
from competitions.statistics import create_codabench_statistics
create_codabench_statistics(year=2024)
```

Note

- If `year` is not specified, the current year is used by default
- A CSV file named `codabench_statistics_2024.csv` is generated in `statistics` folder (for year=2024)


FOR OVERALL PUBLISHED COMPETITIONS STATISTICS

```
from competitions.statistics import create_codabench_statistics_published_comps
create_codabench_statistics_published_comps()
```

 **Note**

A csv file named `codabench_statistics_published_comps.csv` is generated in `statistics` folder

4.4 Codabench Docker Architecture



Source:

```

graph TD
  A((User)) --> B[Caddy]
  B --> C{{Django}}
  C --> D[Postgres]
  C --> F{{Rabbit}}
  C --> G[Minio]
  C --> I{{Builder}}
  F --> L[Compute Worker]
  F --> M[Site Worker]
  F --> K[Flower]
  G -- Storage --> H[Create Buckets]
  I -- JS Asset Helper --> I
  H -- Initialization Helper --> H
  
```

Codabench consists of many docker containers that are connected and organized through docker compose. Below is an overview of each container and their function:

4.4.1 Django

The main container that runs and contains the python code (A Django project). This is the container that is mainly used for utility functions like creating admins, creating backups, and manually making changes through the python django shell. It has a gunicorn webserver that serves internally on port 8000.


4.4.2 Caddy

The HTTP/HTTPS web server. It acts as a reverse proxy for the Django container. This container controls SSL/HTTPS functionality and other web server configuration options. Serves on port 80/443.

4.4.3 Postgres (Labeled DB in docker-compose)

The default database container. It will contain the default Postgres database used by codabench. (Name/user/pass,etc determined by .env.) If you need to make manual DB changes, this is the container to look into.

Here is the DB schema



4.4.4 Compute Worker

The container(s) (can be external) that runs submissions for the codabench instance on their associated queues. The default workers are tied to the default queue. Commands to re-build the compute worker Docker image can be found [here](#).

4.4.5 Site Worker

The container that runs various tasks for the Django container such as unpacking and processing a competition bundle.

4.4.6 Minio

The default storage solution container. Runs a MinIO instance that serves on the port defined by settings in your .env.

4.4.7 Create Buckets

A helper container for the Minio container that initially creates the buckets defined by settings in your .env if they don't already exist. Usually this container exits after that.

4.4.8 Builder

A container to build RiotJS tags into a single unified tag that can then be mounted. Uses NPM.

4.4.9 Rabbit

Task/Message management container. Organizes queues for Celery Tasks and compute workers. Any queues that get created are accessible through rabbit's own command line interface.

4.4.10 Flower

Administrative utility container for Celery tasks and queues.

4.4.11 Competition docker image

The services of Codabench run inside Docker environments. This should not be confused with the Docker environment used to run the submissions, which may vary for each benchmark. The docker running submissions is discussed [here](#)

4.5 Submission Docker Container Layout

When you make a submission to Codabench, the information and file are saved to the database. Afterwards, a Celery task gets sent to the compute worker (Default queue or a compute worker attached to a custom queue). From there the compute worker spins up another docker container with either the default docker image for submissions, or a custom one supplied by the organizer.

4.5.1 Site Worker

The site worker can be thought of exactly how it sounds. It's a local celery worker for the site to handle different Celery tasks and other miscellaneous functions. This is what is responsible for creating competition dumps, unpacking competitions, firing off the tasks for re-running submissions, etc.

4.5.2 Compute Worker

Is a remote and/or local celery worker that listens to the main RabbitMQ server for tasks. A compute worker can be given a special queue to listen to, or listen to the default queue. For more information on setting up a custom queue and compute worker, see:

- [Queue Management](#)
- [Compute Worker Management and Setup](#)

4.5.3 Submission Container

The submission container is the container that participant's submissions get ran in. The image used to create this container is either the Codabench default if the organizer's haven't specified an image, or the custom image they specified in the competition. The default docker image is `codalab/codalab-legacy:py37`. Organizers can specify their own image using either the [YAML file](#) or the [editor](#).

This container is also created with some specific directories, some of which are only available at specific steps of the run. For example, generally for a submission there are 2 steps. The prediction step (If the submission needs to make predictions) and the scoring step, where the predictions are scored against the truth reference data.

Here are the following directories:

- `/app/input_data` Where input data will be (Only exists if input data is supplied for the task)
- `/app/output` Where all submission output should go (Should always exist)
- `/app/ingestion_program` Where the ingestion program files should exist (Only available in ingestion)
- `/app/program` Where the scoring program and/or the ingestion program should be located (Should always exist)
- `/app/input` Where any input for this step should be. (I.E: Previous predictions from ingestion for scoring. Only exists on scoring step)
- `/app/input/ref` Where the reference data should live (Not available to submissions. Only available on scoring step.)
- `/app/input/res` Where predictions/output from the prediction step should live. (Only available on scoring step)
- `/app/shared` Where any data that needs to be shared between the ingestion program and submission should exist. (Only available on scoring steps.)
- `/app/ingested_program` Where submission code should live if it is a code submission. (Only available in ingestion)

4.6 Backups - Automating Creation and Restoring

Codabench has a custom command that uploads a database backup, and copies it to the storage you are using under `/backups`. We'll see how to execute and automate that command, and how to restore from one of these backups in the event of a failure.

4.6.1 Creating Backups

Create

```
DB_NAME=
DB_USERNAME=
DB_PASSWORD=
DUMP_NAME=
docker exec codabench-db-1 bash -c "PGPASSWORD=$DB_PASSWORD pg_dump -Fc -U $DB_USERNAME $DB_NAME > /app/backups/$DUMP_NAME.dump"
```

Upload

There's a custom command on codabench that we use to upload database backups to storage. It should be accessible from inside the Django container (`docker compose exec django bash`) with `python manage.py upload_backup <backup_path>`. It takes an argument `backup_path` which is the path relative to your backup folder, `codabench/backups` and storage bucket, `/backups`. For instance if I pass it as `2022/$DUMP_NAME.dump`, the backup should happen in `codabench/backups/2022/$DUMP_NAME.dump` and will be uploaded to `/backups/2022/$DUMP_NAME.dump` in your storage bucket.

4.6.2 Scheduling Automatic Backups

To schedule automatic backups, we're going to schedule a daily cronjob. To start, open the cron editor in a shell with `crontab -e`.

Add a new entry like so, with the correct path to `pg_dump.py`:

```
@daily /home/ubuntu/codabench/bin/pg_dump.py
```

You should confirm this backup process works by setting some known cronjob time a few minutes in the future and see the dump in storage.

Once done, save and quit the crontab editor, and verify your changes held by listing out cronjobs with `crontab -l`. You should see your new crontab entry.

4.6.3 Restoring From Backup

Re-install Codabench according to the documentation here: [Codabench Installation](#).

Once Codabench is re-installed and working, we're ready to restore our database backup. Upload the database backup to the webserver. It should go under the `codabench` install folder in the `/backups` directory. For example your path might look like: `/home/users/ubuntu/codabench/backups`

Once the backup is located in the `/backups` folder, you'll want to get into the postgres container (`docker compose exec db bash`). Make sure you know your `DB_NAME`, `DB_USERNAME`, and `DB_PASSWORD` variables from your `.env`.

You can restore two ways. The first would be manually dropping the db, re-creating it, then using `pg_restore` to restore the data:

Inside the database container

```
dropdb $DB_NAME -U $DB_USERNAME
createdb $DB_NAME -U $DB_USERNAME
pg_restore -U $DB_USERNAME -d $DB_NAME -1 /app/backups/<filename>.dump
```

Or, you can let `pg_restore` do that for you with a couple of flags/arguments:

Inside the database container


```
pg_restore --verbose --clean --no-acl --no-owner -h $DB_HOST -U $DB_USERNAME -d $DB_NAME /app/backups/<filename>.dump
```

The arguments `--no-acl` & `--no-owner` may be useful if you're restoring as a non-root user. The owner argument is used for: Do not output commands to set ownership of objects to match the original database.

The ACL argument is for: Prevent dumping of access privileges (grant/revoke commands).

After running `pg_restore` successfully without errors, you should find everything has been restored.

4.7 Submission Process Overview



Source:

```

graph TD
  A((User Submission))
  B{{Codalab Front End}}
  C[Clientside Javascript]
  D[Codalab API]
  E[Codalab Back End]
  F{{Compute Worker}}

```

```

A-->B
B-->C
C-->B
C-->D
D-->C
D-->E
E-->D

```

```
E-->|RabbitMQ|F
F-->|Web Sockets & Results|E
```

4.7.1 Overview:

- When making a submission to Codabench, the website uses a client-side javascript to send the submission file along with proper details to an API point for submissions.
- Once the API receives the new submission, Codabench's back-end fires off a Celery task through RabbitMQ.
- This task is picked up by a Codabench Compute Worker listening in on the associated RabbitMQ. The Compute Worker starts processing the data.
- The compute worker begins execution by creating the container the submission will run in using the organizer's specified docker image for the competition.
- Once the container is created, the scoring program and other necessary organizer and user supplied binaries are executed to produce results. While the submission is processing, communication back to the Codabench instance is possible through web-sockets.
- Once the submission is done processing, it moves the output to the proper folders, and the compute worker posts these scores (if found) to the Codabench API.
- From here, the submission is done processing and is marked as failed/finished. If at any part of the processing step (Scoring/Ingestion step of the submission) an exception is raised, the compute worker will halt and send all current output.

4.8 Robot Submissions

This script is designed to test the Robot Submissions feature. Robot users should be able to submit to bot-enabled competitions without being admitted as a participant.

This article will explain how to make a robot submission on your local computer, and how to present the results on the Leaderboard.

4.8.1 Pre-requisite

- Python 3
- Demo bundle: autowsl
- Github download [URL](#)

 code_submission	add new bundle for autowsl	1 minute ago
 dataset_submission	add new bundle for autowsl	1 minute ago

- Robot submission sample script here: [link](#)

Brief description for demo bundle:

- `code_submission`: It contains the sample bundle for the code submission and the code solution for the submission.
- `auto_wsl_code_submission.zip`: This bundle is used for making submission.
- `new_v18_code_mul_mul.zip`: The bundle is multiple phases, each phase has multiple tasks, and between these tasks, they share the same scoring program, that is, there is no need to copy multiple scoring program for hardcode.
- `new_v18_code_mul_mul_sep_scoring.zip`: This bundle is multiple phases, multiple tasks under each phase share a scoring program that is exclusive to their particular phase.
- `new_v18_code_sin_mul.zip`: This is the sample bundle of a single phase multi-task that shares the same scoring program.

 auto_wsl_code_submission.zip	[Update]: add dataset submission sample bundle for AutoWSL competition	2 months ago
 new_v18_code_mul_mul.zip	add new bundle for autowsl	4 minutes ago
 new_v18_code_mul_mul_sep_scoring.zip	add new bundle for autowsl	4 minutes ago
 new_v18_code_sin_mul.zip	add new bundle for autowsl	4 minutes ago


- `dataset_submission`: It contains the sample bundle for data submission and the corresponding dataset solution for submission.
- `AutoWSL_dataset_submission.zip`: This is the bundle used for dataset submissions.
- `new_v18_dataset_mul_mul.zip`: This is a multi-phase, each phase has multiple tasks below the sample bundle, multiple tasks, using the same scoring program, do not need to copy multiple scoring program for hardcode
- `new_v18_dataset_mul_mul_sep_scoring.zip`: This is a multi-phase, each phase has multiple tasks below the sample bundle, the task between the different phases, using a different scoring program, that is, each phase has its own independent scoring program.
- `new_v18_dataset_sin_mul.zip`: This is a sample bundle of single-phase multi-task commit datasets.

 AutoWSL_dataset_submission.zip	[Update]: add dataset submission sample bundle for AutoWSL competition	2 months ago
 new_v18_dataset_mul_mul.zip	add new bundle for autowsl	11 minutes ago
 new_v18_dataset_mul_mul_sep_scorin...	add new bundle for autowsl	11 minutes ago
 new_v18_dataset_sin_mul.zip	add new bundle for autowsl	11 minutes ago

4.8.2 Getting started


Upload a bundle

Use the sample bundle provided above to upload the bundle and create a competition



Set the competition to allow robot submissions

On the created competition page, click the EDIT button



Then click on the Participation tab, then scroll down to the bottom and click on Allow robot submission and click SAVE button.

PROFILES

Users  [+ Add](#) [Change](#)

Is active

Is staff

Rabbitmq queue limit:

Rabbitmq username:

Rabbitmq password:

Is bot 

[Delete](#) [Save and add another](#) [Save and continue editing](#) [SAVE](#) 

Check the `is bot` box, click save. You can now proceed with your robot submissions.

Change CODALAB_URL address

Change CODALAB_URL address in following scripts: `get_competition_details.py`, `example_submission.py`, `get_submission_details.py`
CODALAB_URL = 'https://www.codabench.org/'

Find scripts at `docs/example_scripts`

Choose the competition

Run the following command on the command line: `python3 get_competition_details.py` What you're about to see is something like this

```

zhliu@zhlius-MacBook-Pro: ~/Desktop
~/Desktop (zsh)
(base) → Desktop python3 get_competition_details.py
----- Competitions -----
id | creator | name
-----
1 | eric | Classify Wheat Seeds
2 | eric | Classify Wheat Seeds
3 | eric | Sample Competition
4 | eric | Sample Competition
5 | eric | Learning to Run a Power Network
6 | tthomas63 | Microscopy Challenge - Data Science Africa 2019
7 | tthomas63 | Sample time series competition
8 | tthomas63 | Health Data Challenge
9 | tthomas63 | Iris
10 | tthomas63 | Learning to Run a Power Network
11 | jimmy | Classify Wheat Seeds (result submission)
12 | tthomas63 | Classify Wheat Seeds W/Queue
13 | tthomas63 | Classify Wheat Seeds W/O Queue
14 | jimmy | Classify Wheat Seeds
16 | iguyon | See4C challenge
17 | iguyon | ChLearn Fast Causation Coefficient Challenge
18 | iguyon | Sample Competition
19 | tthomas63 | Classify Wheat Seeds
20 | tthomas63 | Classify Wheat Seeds
21 | tthomas63 | Classify Wheat Seeds
22 | tthomas63 | Classify Wheat Seeds
23 | test-user2019 | Classify Wheat Seeds
24 | test-user2019 | Classify Wheat Seeds
25 | iguyon | Learning to Run a Power Network
28 | iguyon | IRIS Competition
29 | pavao | To be, or not to be?
31 | pavao | Chems v2.2
33 | tthomas63 | Classify Wheat Seeds
34 | liushouxiang | autowsl
41 | pavao | Iris
52 | pavao | Heart Attack - Causality Challenge
53 | acletournel | Iris
55 | pavao | Malaria detection challenge
56 | pavao | Malaria detection challenge - Raw dataset
57 | pavao | To be, or not to be?
58 | eric | Classify Wheat Seeds
61 | iguyon | IRIS Competition directly from V2 bundle
64 | stellarlau | Classify Wheat Seeds
68 | iguyon | Classify Wheat Seeds
69 | Zhen | Classify Wheat Seeds
70 | liuzhenwu | Classify Wheat Seeds - Single phase with multiple task

```

Choose the ID of the competition you are interested in, for example 127.

```

126 | liuzhenwu | AutowSL Challenge Single P
127 | liuzhenwu | SIN MUL CODE SUBMISSION
128 | liuzhenwu | Mul_Mul_Code_Submission

```

Run the script again with the competition ID as a parameter `python3 get_competition_details.py 127` Then you will see the following

```
(base) → Desktop python3 get_competition_details.py 127

Competition: SIN MUL CODE SUBMISSION

----- Phases -----
id | name
-----
215 | Single Phase with Multiple Task
```

You can select the phase ID you're interested in, then use it as the second argument and run the script again, this time you'll get the task information associated with that phase. `python3 get_competition_details.py 127 215`

```
(base) → Desktop python3 get_competition_details.py 127 215

Competition: Single Phase with Multiple Task

----- Tasks -----
id | name
-----
289 | First Task
290 | Second Task
291 | Third Task
```

Making submission

Inside the `example_submission.py` script, configure these options:

```
8 # -----
9 # Configure these
0 # -----
1 CODALAB_URL = 'https://codalabcomp-v2-prod.lri.fr/'
2 USERNAME = 'zhliu'
3 PASSWORD = '12345678'
4 PHASE_ID = 215
5 TASK_LIST = []
6 SUBMISSION_ZIP_PATH = '/Users/zhliu/Desktop/auto_wsl_code_submission.zip'
7
```

- `CODALAB_URL` can be changed if not testing locally.
- `USERNAME` and `PASSWORD` should correspond with the user being tested.
- `PHASE_ID` should correspond with the phase being tested on.
- `TASK_LIST` can be used to submit to specific tasks on a phase. If left blank, the submission will run on all tasks.
- `SUBMISSION_ZIP_PATH` You can fill in the absolute path of the submission directly.

The idea here is that I'm going to test all the tasks below the competition with phase ID 215. Then run the script. `python3 example_submission.py`

```
(base) → Desktop python3 example_submission.py
Making submission using data: {'phase': 215, 'tasks': [], 'data': '141187e5-1a57-4910-9ab8-bc4ee21949af'}
Successfully submitted: b'{"id":542,"data":"141187e5-1a57-4910-9ab8-bc4ee21949af","phase":215,"status":"Submitting","status_details":null,"filename":"submission.zip","description":"","md5":null}'
(base) → Desktop
```

You can see that you have successfully submitted the submission bundle.

View submission details

Configure the `get_submission_details.py` options before running.

```
29
30 # -----
31 # Configure these
32 # -----
33 CODALAB_URL = 'https://codalabcomp-v2-prod.lri.fr/'
34 USERNAME = 'liuzhenwu'
35 PASSWORD = '12345678'
36
```

- `CODALAB_URL` can be changed if not testing locally.
- `USERNAME` and `PASSWORD` should correspond with the user being tested. Run the `get_submission_details.py` script with the ID of the phase containing the desired submission as the first argument.

Since we chose 215 for our phase ID above, we'll choose 215 here.

Then run the script. `python3 get_submission_details.py 215`

```
(base) → Desktop python3 get_submission_details.py 215

----- Submissions -----
id | creator | creation date
-----
464 | liuzhenwu | 2020-09-01T10:28:01.745620Z
465 | liuzhenwu | 2020-09-01T10:28:01.800481Z
466 | liuzhenwu | 2020-09-01T10:28:01.821579Z
467 | liuzhenwu | 2020-09-01T10:28:01.827409Z
542 | liuzhenwu | 2020-09-08T13:07:44.733999Z
543 | liuzhenwu | 2020-09-08T13:07:44.997421Z
544 | liuzhenwu | 2020-09-08T13:07:45.019076Z
545 | liuzhenwu | 2020-09-08T13:07:45.028028Z
```


Find the ID of the desired submission. For example, 542.

Then run the script. `python3 get_submission_details.py 215 542`

```
zhliu@zhlius-MacBook-Pro: ~/Desktop
~/Desktop (zsh)
(base) → Desktop python3 get_submission_details.py 215 542
-----
Submission Object:
-----
{'children': [545, 543, 544],
 'created_when': '2020-09-08T13:07:44.733999Z',
 'description': '',
 'filename': 'submission.zip',
 'has_children': True,
 'id': 542,
 'is_public': False,
 'leaderboard': None,
 'name': '',
 'on_leaderboard': True,
 'owner': 'liuzhenwu',
 'parent': None,
 'phase': 215,
 'phase_name': 'Single Phase with Multiple Task',
 'pk': 542,
 'scores': [{ 'column_key': 'accuracy',
               'id': 743,
               'index': 0,
               'score': '0.7834697275'},
             { 'column_key': 'accuracy',
               'id': 745,
               'index': 0,
               'score': '0.9641000543'},
             { 'column_key': 'accuracy',
               'id': 747,
               'index': 0,
               'score': '0.9308094938'},
             { 'column_key': 'duration',
               'id': 744,
               'index': 1,
               'score': '0.3811399937'},
             { 'column_key': 'duration',
               'id': 746,
               'index': 1,
               'score': '0.4850265980'},
             { 'column_key': 'duration',
               'id': 748,
               'index': 1,
               'score': '0.4569017887'}],
 'status': 'Finished',
```

Finally

Finally, you can go to the competition page, add your submission, and add it to the Leaderboard!



SIN MUL CODE SUBMISSION

1 PARTICIPANTS

2 SUBMISSIONS

Edit Participants Submissions Dumps Migrate

ORGANIZED BY: Liuzhenwu
 CURRENT PHASE ENDS: December 30, 2020, 8:00 AM GMT+8
 CURRENT SERVER TIME: September 8, 2020, 9:13 PM GMT+8
 Secret url: https://codalabcomp-v2-prod.lri.fr/competitions/127/?secret_key=2432d55a-75bd-4c07-8bd9-6f7f3190d811

Aug 2020 Oct 2020 Dec 2020

Get Started Phases **My Submissions** Results ?

Single Phase with Multiple Task

Submission upload



Search...  Status 

ID #	File name	Status	Actions
542	submission.zip	Finished	 
464	code_submission.zip	Finished	 

On the Leaderboard, you can see the score details of each of your tasks.

SIN MUL CODE SUBMISSION

1 PARTICIPANTS
2 SUBMISSIONS

ORGANIZED BY: Liuzhenwu
CURRENT PHASE ENDS: December 30, 2020, 8:00 AM GMT+8
CURRENT SERVER TIME: September 8, 2020, 9:13 PM GMT+8
Secret url: https://codalabcomp-v2-prod.lri.fr/competitions/127/?secret_key=2432d55a-75bd-4c07-8bd9-6f7f3190d811

Jul 2020 Aug 2020 Sep 2020 Oct 2020 Nov 2020 Dec 2020

Get Started Phases My Submissions **Results** ?

Results

Results							
Task:		First Task	First Task	Second Task	Second Task	Third Task	Third Task
#	Username	Prediction score	Duration	Prediction score	Duration	Prediction score	Duration
1	liuzhenwu	0.9641000543	0.4850265980	0.9308094938	0.4569017887	0.7834697275	0.3811399937

4.8.3 Using the Scripts:

Setup:

- Create a competition with robot submissions enabled

[Example competition bundle](#)

✓ Details ✓ **Participation** ✓ Pages ✓ Phases ✓ Leaderboard Administrators

Terms*

B I H “ ☰ ☷ 🔗 🖼️ 👁️ ?

Terms and Conditions

We only have two rules

Rule number one
Don't be a dick

Rule number two
See rule number one

lines: 9 words: 23 0:0

Auto approve registration requests ?

Allow robot submissions ?

Publish **Save** Discard Changes Back To Competition ?

- Create a user and enable the bot user flag on the Django admin page.

Username:	<input type="text" value="botty"/>
Email:	<input type="text" value="bot@bot.com"/>
Date joined:	Date: <input type="text" value="2020-07-14"/> Today  Time: <input type="text" value="21:33:54"/> Now 
<small>Note: You are 7 hours behind server time.</small>	
<input checked="" type="checkbox"/> Is active	
<input type="checkbox"/> Is staff	
Rabbitmq queue limit:	<input type="text" value="5"/>
Rabbitmq username:	<input type="text"/>
Rabbitmq password:	<input type="text"/>
<input checked="" type="checkbox"/> Is bot	

get_competition_details.py:

- Inside the `get_competition_details.py` script, configure these options:

```

33 # -----
34 # Configure this
35 # -----
36 CODALAB_URL = 'http://localhost/'

```

- `CODALAB_URL` can be changed if not testing locally.
- Run the `get_competition_details` script with no arguments.
- Find the competition you want to test on.
- Run the `get_competition_details` script again with the competition ID as the only argument.
- Find the phase you want to test on.
- If you want to use the task selection feature, run the script again with the competition ID as the first argument and the phase ID as the second argument.
- Select the task you would like to run your submission on.
- Use the phase ID and task IDs to configure `example_submission.py`.

`example_submission.py`:

- Inside the `example_submission.py` script, configure these options:

```

28 # -----
29 # Configure these
30 # -----
31 CODALAB_URL = 'http://localhost/'
32 USERNAME = 'admin'
33 PASSWORD = 'admin'
34 PHASE_ID = None
35 TASK_LIST = []
36 SUBMISSION_ZIP_PATH = '../tests/functional/test_files/submission.zip'

```

- `CODALAB_URL` can be changed if not testing locally.
- `USERNAME` and `PASSWORD` should correspond with the user being tested.
- `PHASE_ID` should correspond with the phase being tested on.
- `TASK_LIST` can be used to submit to specific tasks on a phase. If left blank, the submission will run on all tasks.
- `SUBMISSION_ZIP_PATH` should be changed if testing on anything but the default "Classify Wheat Seeds" competition. An example submission can be found [here](#).
- Run this script in a python3 environment with `requests` library installed.

`get_submission_details.py`

- Configure the `get_submission_details.py` options before running.

```

30 # -----
31 # Configure these
32 # -----
33 CODALAB_URL = 'http://localhost/'
34 USERNAME = 'admin'
35 PASSWORD = 'admin'

```

- `CODALAB_URL` can be changed if not testing locally.
- `USERNAME` and `PASSWORD` should correspond with the user being tested.
- Run the `get_submission_details.py --phase <id>` script with the ID of the phase containing the desired submission.
- Find the ID of the desired submission.
- Run the `get_submission_details.py --submission <id>` script with the desired submission ID.
- The output of the script should be a submission object and a submission `get_details` object. This data can be used view scores, get prediction results, ect.
- Run the `get_submission_details.py --submission <id> -v` to save a zip containing previous info plus the original submission and logs.
- `--output <PATH>` can be used to choose where to save the zip file. Otherwise, it will be saved in the current directory.

rerun_submission.py

Robot users have the unique permission to rerun anyone's submission on a specific task. This enables clinicians to test pre-made solutions on private datasets that exist on tasks that have no competition.

- Configure the `rerun_submission.py` options before running.

```

30 # -----
31 # Configure these
32 # -----
33 CODALAB_URL = 'http://localhost/'
34 USERNAME = 'admin'
35 PASSWORD = 'admin'

```

- `CODALAB_URL` can be changed if not testing locally.
- `USERNAME` and `PASSWORD` should correspond with the user being tested.

Running the script

1. Create a competition that allows robots, and create a user marked as a robot user. Use that username and password below.
2. Get into a python3 environment with requests installed
3. Review this script and edit the applicable variables, like...

```

CODALAB_URL
USERNAME
PASSWORD
...

```

4. Execute the contents of this script with no additional command line arguments with the command shown below:

```
./rerun_submission.py
```

The script is built to assist the user in the selection of the submission that will be re-run.

1. After selecting a submission ID from the list shown in the previous step, add that ID to the command as a positional argument as shown below.

```
./rerun_submission.py 42
```

The script will assist the user in the selection of a task ID.

1. After selecting both a submission ID and a task ID, run the command again with both arguments to see a demonstration of a robot user re-running a submission on a specific task.

e.g.

```
./rerun_submission.py 42 a217a322-6ddf-400c-ac7d-336a42863724
```

4.9 To run the tests locally

Install uv : <https://docs.astral.sh/uv/getting-started/installation/>

Run the following commands:

```
cd tests
uv sync --frozen
uv run playwright install
docker compose exec -e DJANGO_SUPERUSER_PASSWORD=codabench django python manage.py createsuperuser --username codabench --email codabench@test.mail --no-input
uv run pytest test_auth.py test_account_creation.py test_competition.py test_submission.py
```

4.10 Adding Tests

First, read the [documentation](#) on Playwright if you haven't used the tool before. Since we are using pytest, you should also try to get more familiar with it by reading some of its [documentation](#).

Once you are done, you can start adding tests. Playwright allows us to generate code with the following command :

```
uv run playwright codegen -o test.py
```

This will open two windows: - A window containing the generated code - A browser that is used by playwright to generate the code. Every action you take there will generate new lines of the code.

Once you are done, close the browser and open the file that playwright created containing the code it generated. Make sure to test it to make it sure it works.

Since we are passing custom commands to pytest, we need to remove some of the generated lines. Spawning a new browser and/or context will make them not take into the commands we have added in the `pytest.ini` file :

Original file created by codegen

```
from playwright.sync_api import Playwright, sync_playwright, expect

def run(playwright: Playwright) -> None:
    browser = playwright.chromium.launch(headless=False)
    context = browser.new_context()
    page = context.new_page()
    page.goto("http://localhost/")
    page.get_by_text("Benchmarks/Competitions Datasets Login Sign-up").click()
    page.get_by_role("link", name="Login").click()

    page.close()

    # -----
    context.close()
    browser.close()

with sync_playwright() as playwright:
    run(playwright)
```

The previous file becomes :

Modified file

```
from playwright.sync_api import Page, expect

def test_run(page: Page) -> None:
    page.goto("http://localhost/")
    page.get_by_text("Benchmarks/Competitions Datasets Login Sign-up").click()
    page.get_by_role("link", name="Login").click()
```

4.11 Running Tests

```
# Without "end to end" tests
$ docker compose exec django py.test -m "not e2e"

# Playwright tests (make sure to install uv first: https://docs.astral.sh/uv/getting-started/installation/)
uv sync --frozen
uv run playwright install
docker compose exec -e DJANGO_SUPERUSER_PASSWORD=codabench django python manage.py createsuperuser --username codabench --email codabench@test.mail --no-input
uv run pytest test_auth.py test_account_creation.py test_competition.py test_submission.py
```

4.11.1 CircleCI

To simulate the tests run by CircleCI locally, run the following command:

```
docker compose -f docker-compose.yml exec django py.test src/ -m "not e2e"
```

4.11.2 Example competitions

The repo comes with a couple examples that are used during tests:

v2 test data

```
src/tests/functional/test_files/submission.zip
src/tests/functional/test_files/competition.zip
```

v1.5 legacy test data

```
src/tests/functional/test_files/submission15.zip
src/tests/functional/test_files/competition15.zip
```

Other Codalab Competition examples

<https://github.com/codalab/competition-examples/tree/master/v2/>

4.12 Automation

4.12.1 What and Why

It's useful to test various parts of the system with lots of data or many intricate actions. The selenium tests do this generally and are used as a guide for this tutorial. One problem is that Selenium needs to launch an instance of a browser to control. Our tests do this inside a docker container and uses a test database that doesn't persist as it cleans up after itself. We need to be able to control a live codabench session that is running. To do that we install a driver locally which is normally only inside the selenium docker container during tests. It is specific to your browser so keep that in mind.

4.12.2 Virtualenv

You'll need a python virtual env as you don't want to be inside Django or you won't be able to launch a browser.

Virtualenv

I used 3.8.

```
python3 -m venv codabench
source ./codabench/bin/activate
```

Pyenv

```
pyenv install 3.8
pyenv virtualenv 3.8 codabench
pyenv activate codabench
```

4.12.3 Requirements

We have a couple extra things like `webdriver-manager` for getting a driver programmatically and `selenium` needs to be upgraded to use modern client interface.

```
pip install -r requirements.txt
pip install -r requirements.dev.txt
pip install webdriver-manager
pip install --upgrade selenium
```

4.12.4 Automate competition creation

Main Selenium Docs

Install

Getting Started

```
import os, time
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.chrome.service import Service
from webdriver_manager.chrome import ChromeDriverManager

# Use 'ChromeDriverManager' to ensure the 'chromedriver' is installed and in PATH
service = Service(ChromeDriverManager().install())
driver = webdriver.Chrome(service=service)

# ... now use 'driver' to control the local Chrome instance
driver.get("http://localhost/accounts/login")

# Use CSS selectors to find the input fields and button
username_input = driver.find_element(By.CSS_SELECTOR, 'input[name="username"]')
password_input = driver.find_element(By.CSS_SELECTOR, 'input[name="password"]')
submit_button = driver.find_element(By.CSS_SELECTOR, '.submit.button')

# Type the credentials into the fields
username_input.send_keys('bbearce')
password_input.send_keys('testtest')

# Click the submit button
submit_button.click()
```

```
comp_path = "/home/bbearce/Documents/codabench/src/tests/functional/test_files/competition_v2_multi_task.zip"
def upload_competition(competition_zip_path):
    driver.get("http://localhost/competitions/upload")
    file_input = driver.find_element(By.CSS_SELECTOR, 'input[ref="file_input"]')
    file_input.send_keys(os.path.join(competition_zip_path))

for i in range(30):
    upload_competition(comp_path)
    time.sleep(5) # tune for your system
```

4.13 Manual Validation

This is a checklist to follow in order to perform a manual validation of the platform's proper functioning. This is especially useful when validating a "bump" pull request made by the dependabot, a fresh installation or any change in the code base.

1. Create a user account and login
2. Create a competition
3. Create a queue
4. Upload a submission
5. Check that the submission was processed (results, visualization tab, leaderboard)
6. Change/recover password
7. Delete user
8. Delete submission
9. Delete queue
10. Delete competition
11. Admin page
12. Look at the logs for any problematic messages (`docker compose logs -f`)

4.14 Validation and deployment of pull requests

4.14.1 1. Local testing and validation of the changes

Setup

Required:

- "Maintain" role on the repository
- A working local installation

Pull the changes, checkout the branch you are testing and deploy your local instance:

```
cd codabench
git pull
git checkout branch
docker compose up -d
```

If necessary, migrate and collect static files (see this [page](#)).

Note

If the branch with the changes is from an external repository, you can create a branch in Codabench's repository and make a first merging into this new branch. Then, you'll be able to merge the new branch into master. This way, the automatic tests will be triggered.

EDIT: It may be possible to trigger the tests even if the branch is external. To be confirmed.

Testing

Here is the usual checklist in order to validate the pull request:


- Code review by me
- Hand tested by me
- I'm proud of my work
- Code review by reviewer
- Hand tested by reviewer
- CircleCi tests are passing
- Ready to merge

The contributor may have provided guidelines for testing that you should follow. In addition to this:

- Testing must be thorough, really trying to break the new changes. Try as many use cases as possible. Do not trust the contributor.
- In addition to the checklist of the PR, you can follow this checklist to check that the basic functionalities of the platform are still working: [manual validation](#)

Merging

Once everything is validated, merge the pull request. If there are many minor commits, use "squash and merge" to merge them into one.



The screenshot shows a GitHub pull request interface. At the top, there are two green checkmarks indicating that all checks have passed and that the branch has no conflicts with the base branch. Below this, there is a green button labeled "Merge pull request" with a dropdown arrow. To the right of the button, there is a link to "open this in GitHub Desktop" and another link to "command line instructions". Below the button, there are two options for merging: "Create a merge commit" and "Squash and merge". The "Create a merge commit" option states that all commits from this branch will be added to the base branch via a merge commit. The "Squash and merge" option states that the 1 commit from this branch will be added to the base branch. At the bottom of the interface, there is a toolbar with icons for Home, Bold, Italic, Code, and other editing tools.

You can then safely click on `Delete branch`. It is a good practice to keep the project clean.

4.14.2 Update the test server

Here are the necessary steps to update the Codabench server to reflect the last changes. We provide here general guidelines that work for both the test server and the production server.

Log into the server

```
ssh codabench-server
cd /home/codaLab/codabench
```

Replace `codabench-server` by your own SSH host setting, or the IP address of the server.

Note

Make sure to log in as the user that deployed the containers.

Pull the last change

Tip

- If you are deploying on a test server, you can use the `develop` branch.
- If you are deploying on a Production server, we strongly advise on using the `master` branch.

```
docker compose down
git status
git pull
docker compose up -d
```

Restart Django

```
docker compose stop django
docker compose rm django
docker compose create django
docker compose start django
```

If `docker compose` does not exist, use `docker-compose`.

Database migration

```
docker compose exec django ./manage.py migrate
```

Do not use `makemigrations`

 **Remark:** *we need to solve the migration files configuration. In the meantime, `makemigrations --merge` may be needed.*

Collect static files

```
docker compose exec django ./manage.py collectstatic --noinput
```

Final testing


- Access the platform from your browser
- You may need a hard refresh (Maj + R) so the changes take effect.
- Check that everything is working fine, the new changes, and the basic functionalities of the platform

4.14.3 Merge develop into master

Once some pull requests (~3 - 10) were merged into `develop`, we can prepare a merge into `master`. Simply create a new pull request from Github interface, selecting `master` as the base branch:

Comparing changes

Choose two branches to see what's changed or to start a new pull request:



In the text of the PR, link all relevant PR made to develop, and indicate the URL of the test server. Example: <https://github.com/codalab/codabench/pull/1166>

4.14.4 Update the production server

Same procedure as [Update the test server](#), but on the production server.


Tip

Do not forget to access the platform and perform a final round of live testing after the deployment.


4.14.5 Creating a Release

Once the develop branch has been merged into master, it is possible to use the Github interface to tag the commit of the merge and create a release containing all the changes as well as manual interventions if needed.


For this, you will need to go to the [release page](#) and click on `Draft a new release`.



Afterwards, you click on `Choose a tag` and enter the tag you want to create (in this exemple, 1.17.0 which doesn't exist yet)




You can then choose the targeted branch to create the tag on (`master` in our case) and then click on `Generate release notes`. Github will automatically generate releases based on the new commits compared to the last tag.




You can then change the text format however you like, as well as add things like Manual Intervention if there are any.

When you are done, you publish the release.



4.14.6 Dockerhub Cleanup

One of the workflows of this repository creates a docker image and uploads it automatically to Dockerhub with the tag of the branch that launched the workflow.



These workflows launches when one of the following conditions are met :

- A change in the `Containerfile.compute_worker` file
- A change of any file within the `compute_worker/` directory

The tag is decided by three different criterias :

- Changes on the `develop` branch creates a tag with the `test` tag
- Changes on the `master` branch creates a tag with the release tag (ex: `v1.22`)
- Changes on any other branches will create a tag with the branch name as the tag.

4.15 Upgrading Codabench

4.15.1 Index

Upgrade Codabench

```
cd codabench
git pull
docker compose build && docker compose up -d
docker compose exec django ./manage.py migrate
docker compose exec django ./manage.py collectstatic --noinput
```

Manual interventions

You can find here various manual intervention needed depending on which version you are upgrading from:

- [Upgrade RabbitMQ](#) (version < 1.0.0)
- [Create new logos for each competition](#) (version < 1.4.1)
- [Worker Docker Image manual update](#) (version < 1.3.1)
- [Add line into .env for default queue worker duration](#) (version < 1.7.0)
- [Uncomment a line in your .env file](#) (version < 1.8.0)
- [Rebuilding all docker images](#) (version < 1.9.2)
- [Move the last storage_inconsistency files from logs folder to var logs folder](#) (version < 1.12.0)
- [Submissions and Participants Counts](#) (version < 1.14.0)
- [Homepage counters](#) (version < 1.15.0)
- [User removal](#) (version < 1.17.0)
- [Database size Fix](#) (version < 1.18.0)

4.15.3 Create new logos for each competitions (version < 1.4.1)



This intervention is needed when upgrading from a version equal or lower than v1.4.1

In order to create a "logo icon" for each existing competition

1. Shell into django

```
docker compose exec django bash
python manage.py shell_plus --plain
```

2. Get competitions that don't have logo icons

```
import io, os
from PIL import Image
from django.core.files.base import ContentFile
comps_no_icon_logo = Competition.objects.filter(logo_icon__isnull=True)
all = Competition.objects.all()
len(Competition.objects.all())
len(comps_no_icon_logo)
```

3. Then run this script

```
for comp in comps_no_icon_logo:
    try:
        comp.make_logo_icon()
        comp.save()
    except Exception as e:
        print(f"An error occurred: {e}")
        print(comp)
```

4.15.4 Worker docker image manual update (version < 1.3.1)

 **This intervention is needed when upgrading from a version equal or lower than v1.3.1**

To update your worker docker image, you can launch the following code in the terminal on the machine where your worker is located.

```
docker stop compute_worker
docker rm compute_worker
docker pull codalab/competitions-v2-compute-worker:latest
docker run \
  -v /codabench:/codabench \
  -v /var/run/docker.sock:/var/run/docker.sock \
  -d \
  --env-file .env \
  --name compute_worker \
  --restart unless-stopped \
  --log-opt max-size=50m \
  --log-opt max-file=3 \
  codalab/competitions-v2-compute-worker:latest
```

4.15.5 Add line in .env file for default worker queue duration (version < 1.7.0)

 **This intervention is needed when upgrading from a version equal or lower than v1.7.0**

You will need to add the following line into your `.env` file

```
.env  
MAX_EXECUTION_TIME_LIMIT=600 # time limit for the default queue (in seconds)
```

This will change the maximum time a job can run on the default queue of your instance, as noted [here](#)

4.15.6 Uncomment a line in your .env file (version < 1.8.0)

 **This intervention is needed when upgrading from a version equal or lower than v1.8.0**

After the Caddy upgrade, you will need to uncomment a line in your `.env` file:

```
.env
```

```
TLS_EMAIL = "your@email.com"
```

More information [here](#)

4.15.7 Rebuilding all docker images (version < 1.9.2)

 This intervention is needed when upgrading from a version equal or lower than v1.9.2

Since we are now using Poetry, we need to rebuild all our docker images to include it.

You can achieve this by running the following commands :

 **Warning**

If your machine has other images or containers that you want to keep, do not run `docker system prune -af`. Instead, manually delete all the images related to codabench

```
docker compose build && docker compose up -d
docker system prune -a
```

More information (and alternative commands) [here](#)

4.15.8 Move the latest storage_inconsistency files from the logs folder to var/logs (version < 1.12.0)



This intervention is needed when upgrading from a version equal or lower than v1.11.0

You will need to move the last storage_inconsistency files from /logs folder to /var/logs/ folder.

```
cd codabench
cp -r logs/* var/logs
```

You will also need to rebuild the celery image because of a version change that's needed.

```
docker compose down
docker images # Take the ID of the celery image
docker rmi *celery_image_id*
docker compose up -d
```

More information [here](#)

4.15.9 Submissions and Participants count (version < 1.14.0)



After upgrading from Codabench <1.14, you will need to follow these steps to compute the submissions and participants counts on the competition pages. See [this](#) for more information

1. Re-build containers

```
docker compose build && docker compose up -d
```

2. Migration

```
docker compose exec django ./manage.py migrate
```

3. Update counts for all competitions

Bash into django console

```
docker compose exec django ./manage.py shell_plus
```

Import and call the function

```
from competitions.submission_participant_counts import compute_submissions_participants_counts
compute_submissions_participants_counts()
```

4. Feature some competitions in home page

There are two ways to do it: 1. Use Django admin -> click the competition -> scroll down to is featured filed -> Check/Uncheck it 2. Use competition ID in the django bash to feature / unfeature a competition

```
docker compose exec django ./manage.py shell_plus
```

```
comp = Competition.objects.get(id=<ID>) # replace <ID> with competition id
comp.is_featured = True # set to False if you want to unfeature a competition
comp.save()
```

4.15.10 Homepage Counters (version < 1.15.0)



After upgrading from Codabench <1.15, you will need to follow these steps to compute the homepage counters. See [this](#) for more information

1. Re-build containers

```
docker compose build && docker compose up -d
```

1. Update the homepage counters (to avoid waiting 1 day)

```
docker compose exec django ./manage.py shell_plus
```

```
from analytics.tasks import update_home_page_counters  
eager_results = update_home_page_counters.apply_async()
```

4.15.11 User Removal (version < 1.17.0)



After upgrading from Codabench <1.17, you will need to perform a Django migration (#1715, #1741)

```
docker compose exec django ./manage.py migrate
```

4.15.12 Database size fix (version < 1.18.0)

Warning

You need to stop the database from being changed while running these commands. They might take time to complete depending on the size of your database.

Start maintenance mode:

```
touch maintenance/maintenance.on
```

1. DJANGO MIGRATION (1774, 1752)

```
docker compose exec django ./manage.py migrate
```

2. RESET USER QUOTA FROM BYTES TO GB (1749)

```
docker compose exec django ./manage.py shell_plus
```

```
from profiles.quota import reset_all_users_quota_to_gb
reset_all_users_quota_to_gb()
```

```
# Convert all 16 GB quota into 15 GB
from profiles.models import User
users = User.objects.all()
for user in users:
    # Reset quota to 15 if quota is between 15 and 20
    # Do not reset quota for special users like adrien
    if user.quota > 15 and user.quota < 20:
        user.quota = 15
        user.save()
```

3. IMPORTANT FOR FILE SIZES CLEANUP (1752)

We have some critical changes here so before deployment we should run the following 3 blocks of code to get the last ids of `Data`, `Submission` and `SubmissionDetail`

Then, in the `shell_plus`:

```
# Get the maximum ID for Data
from datasets.models import Data
latest_id_data = Data.objects.latest('id').id
print("Data Last ID: ", latest_id_data)
```

```
# Get the maximum ID for Submission
from competitions.models import Submission
latest_id_submission = Submission.objects.latest('id').id
print("Submission Last ID: ", latest_id_submission)
```

```
# Get the maximum ID for Submission Detail
from competitions.models import SubmissionDetails
latest_id_submission_detail = SubmissionDetails.objects.latest('id').id
print("SubmissionDetail Last ID: ", latest_id_submission_detail)
```

After we have the latest ids, we should deploy and run the 3 blocks of code below to fix the sizes i.e. to convert all kib to bytes to make everything consistent. For new files uploaded after the deployment, the sizes will be saved in bytes automatically that is why we need to run the following code for older files only.

```
# Run the conversion only for records with id <= latest_id
from datasets.models import Data
for data in Data.objects.filter(id__lte=latest_id_data):
    if data.file_size:
        data.file_size = data.file_size * 1024 # Convert from KiB to bytes
        data.save()
```

```
# Run the conversion only for records with id <= latest_id
from competitions.models import Submission
for sub in Submission.objects.filter(id__lte=latest_id_submission):
    updated = False # Track if any field is updated
```

```
if sub.prediction_result_file_size:
    sub.prediction_result_file_size = sub.prediction_result_file_size * 1024 # Convert from KiB to bytes
    updated = True

if sub.scoring_result_file_size:
    sub.scoring_result_file_size = sub.scoring_result_file_size * 1024 # Convert from KiB to bytes
    updated = True

if sub.detailed_result_file_size:
    sub.detailed_result_file_size = sub.detailed_result_file_size * 1024 # Convert from KiB to bytes
    updated = True

if updated:
    sub.save()
```

```
# Run the conversion only for records with id <= latest_id
from competitions.models import SubmissionDetails
for sub_det in SubmissionDetails.objects.filter(id__lte=latest_id_submission_detail):
    if sub_det.file_size:
        sub_det.file_size = sub_det.file_size * 1024 # Convert from KiB to bytes
        sub_det.save()
```

Then, do not forget to stop maintenance mode:

```
rm maintenance/maintenance.on
```

5. Newsletters Archive

5.1 2024

5.1.1 CodaLab in 2024

A Year of Breakthroughs and New Horizons with Codabench

Welcome to the first edition of CodaLab's newsletter! This year has been full of novelty, success, and scientific progress. The platform is breaking records of participation and number of organized competitions, and [Codabench](#), the new version of [CodaLab](#), had a very promising launch. Let's dive into more details.



5.1.2 Unprecedented engagement


In October, Codabench has registered its **10,000th user!** From about 100 daily submissions in January, it is now **more than 500 daily submissions** that are handled on the servers. In 2024, more than 20,000 new users have registered on CodaLab, whereas more than 12,000 on Codabench.

249 public competitions have been created on CodaLab, whereas **193 on Codabench: +15%** of total competitions of both platforms compared to 2023. CodaLab continues to handle a large number of submissions, as many past competitions remain active even after they have officially ended: **240,000 submissions on CodaLab** whereas **83,000 on Codabench**.

Contributors community is very active with **143 pull requests** this year. Since the platform is still relatively new, the primary focus has been on bug fixes, security and performance enhancements, and administrative features, accounting for approximately two-thirds of the pull requests.

Nevertheless, we are keen on improving the experience for both participants and organizers. We have set a versioning and a release-notes follow-up to give more visibility to the platform evolution and maturity.

GitHub Pull Requests Activity 2024



5.1.3 Introducing Codabench

[Codabench](#), the modernized version of [CodaLab](#), was released in summer 2023, and [presented at JCAD days](#) in November 2024! Codabench platform software is now concentrating all development effort of the community. In addition to CodaLab features, it offers improved performance, live logs, more transparency, data-centric benchmarks and more!

We warmly encourage you to use codabench.org for all your new competitions and benchmarks. Note that CodaLab bundles are compatible with Codabench, easing the transition, as explained in the following docs page: [How to transition from CodaLab to Codabench](#)

CodaLab and Codabench are hosted on servers located at [Paris-Saclay university](#), maintained by [LISN lab](#).

5.1.4 Spotlight on competitions

The most popular competition this year, featuring **520 participants**, was the SemEval task [Bridging the Gap in Text-Based Emotion Detection](#). The task of this competition focused on identifying the emotion that most people would associate with a speaker based on a given sentence or short text snippet.

The competition with the highest reward, a **prize pool of \$100,000**, was the [Global Artificial Intelligence Championships](#), track Maths 2024, a pioneering contest that aimed to advance the development of artificial intelligence tools for solving advanced mathematical problems across multiple levels of difficulty ([full report here](#)).

Codabench featured interesting **NeurIPS 2024 challenges**:

- The [LLM Privacy Challenge](#), where participants were divided into two teams: [Red Team](#) and [Blue Team](#), each one aiming at developing attack and defense approaches for data privacy in LLMs.
- [Fair Universe - Higgs Uncertainty Challenge](#), exploring uncertainty-aware AI techniques for High Energy Physics (HEP).
- The [Concordia Challenge](#), focusing on improving the cooperative intelligence of AI systems: promise-keeping, negotiation, reciprocity, reputation, partner choice, compromise, and sanctioning.
- The [Erasing the Invisible Challenge](#), where the task is to remove invisible watermarks from images, while preserving the overall image quality.
- Codabench also hosted the [NeurIPS 2024 Checklist Assistant](#), a self-service tool for the NeurIPS 2024 checklist. This verification assistant helps authors confirm their papers' compliance and submit improved versions based on the Assistant's feedback. For more details check out the [blog post](#) and the [experiment results](#).

Last but not least, Codabench featured several competitions in the fields of medicine and biology, such as the [Dental CBCT Scans](#), [Panoramic X-ray Images](#), [Butterfly Hybrid Detection](#), and [Monitoring Age-related Macular Degeneration Progression In Optical Coherence Tomography](#).

We'd like to thank the whole community for these exceptional scientific contributions. You can explore more challenges in the [public listing](#).

5.1.5 What about the future?

We always develop new features to serve the state-of-the-art of Machine Learning science. We plan to invest effort in **handling medical data**, improving **federated learning** use-cases, and allowing **human-in-the loop** feedback for better AI experience.

The **platform interface will also be improved** for better visibility and facilitated re-use of datasets, tasks or solutions generated through it.

Keep in touch and give us feedback on your experience on Codabench !

5.1.6 Community

Reminder on our communication tools:

- Join our [google forum](#) to emphasize your competitions and events
- Contact us for any question: info@codabench.org
- Write an issue on [github](#) about interesting suggestions

Please cite one of these papers when working with our platforms:

```
@article{codabench,
  title = {Codabench: Flexible, easy-to-use, and reproducible meta-benchmark platform},
  author = {Zhen Xu and Sergio Escalera and Adrien Pavão and Magali Richard and Wei-Wei Tu and Quanming Yao and Huan Zhao and Isabelle Guyon},
  journal = {Patterns},
  volume = {3},
  number = {7},
  pages = {100543},
  year = {2022},
  issn = {2666-3899},
  doi = {https://doi.org/10.1016/j.patter.2022.100543},
  url = {https://www.sciencedirect.com/science/article/pii/S2666389922001465}
}
```

```
@article{codalab_competitions_JMLR,
  author = {Adrien Pavao and Isabelle Guyon and Anne-Catherine Letournel and Dinh-Tuan Tran and Xavier Baro and Hugo Jair Escalante and Sergio Escalera and Tyler Thomas and Zhen Xu},
  title = {CodaLab Competitions: An Open Source Platform to Organize Scientific Challenges},
  journal = {Journal of Machine Learning Research},
  year = {2023},
  volume = {24},
  number = {198},
  pages = {1--6},
  url = {http://jmlr.org/papers/v24/21-1436.html}
}
```

5.1.7 Last words

Thank you for reading the first edition of our newsletter. We look forward to sharing more exciting updates, competitions, and breakthroughs with you soon. Until then, keep exploring, keep competing, and stay inspired!




5.2 CodaLab and Codabench newsletter

5.2.1 What happened in 2025?

2025 was a year of transition and consolidation for our community. After 13 years of service, [CodaLab Competitions](#) was officially phased out, closing an important chapter in the history of open scientific challenges. At the same time, [Codabench](#) matured into the central platform for benchmarking, concentrating both usage and development efforts.

Beyond the symbolic handover, the year was marked by strong community engagement, growing activity on Codabench, and steady progress on the software itself. This newsletter offers a snapshot of that journey: key numbers, standout competitions, and the latest advances shaping the platform.

What happened in 2025?



5.3 Bye bye, CodaLab!

After 13 years and millions of submissions made, [CodaLab Competitions](#) and its main servers were finally phased out at end of 2025, passing the torch to [Codabench](#).

Today, Codabench is where the community's energy and development efforts are fully focused. As a modernized evolution of the CodaLab platform, it preserves familiar workflows while introducing improved performance, live logs, greater transparency, data-centric benchmarks, and more.

If you haven't made the transition yet as an organizer, good news: CodaLab bundles are fully compatible with Codabench, making the move straightforward. The process is documented step by step here: [How to transition from CodaLab to Codabench](#)

5.4 Some statistics

Codabench continued to grow strongly throughout the year, reaching **519 public competitions** created and welcoming **31,608 new users!** Daily activity also increased steadily, from around 500 submissions per day in January to **over 1,000 daily submissions by December**, reflecting sustained community engagement.

CodaLab, while entering its sunset phase, still saw **100 public competitions** created and **14,854 new users** over the year. Submission activity peaked in March (around 850 submissions per day), before gradually declining to fewer than 200 daily submissions in December, as usage progressively shifted towards Codabench.

A total of **\$269,000 in prize money** was awarded to competition participants in 2025.

5.5 Spotlight on competitions

2025 featured many notable competitions across scientific and industrial fields. From NeurIPS and ICML to challenges in health and medical research, environmental science, industrial applications, language processing, and education, the diversity of topics continued to grow.

NEURIPS AND ICML

- [EEG Foundation Challenge](#), aiming to advance the field of electroencephalogram (EEG) decoding by addressing two critical challenges, (1) models that can transfer knowledge from any cognitive EEG tasks to active task and (2) creating representations that generalize across different subjects. It was the most popular competition this year, featuring **1220 participants**, was the NeurIPS 2025 competition.
- [NeurIPS 2025 Weak Lensing Uncertainty Challenge](#), exploring uncertainty-aware and out-of-distribution detection AI techniques for Weak Gravitational Lensing Cosmology.
- [NeurIPS 2025: Fairness in AI Face Detection Challenge](#), where the goal is to advance the development of fair and robust AI-generated face detection systems by addressing the critical challenge of fairness generalization under real-world deployment conditions.
- [ICML 2025 AI for Math Workshop & Challenge 1 - APE-Bench I](#), designed to evaluate systems that can automate proof engineering in large-scale formal mathematics libraries.

HEALTH AND MEDICAL RESEARCH

- [MAMA-MIA Challenge](#), studying breast cancer through magnetic resonance imaging (MRI) data, that turned into a long-term benchmark. [Universal UltraSound Image Challenge: Multi-Organ Classification and Segmentation](#), aiming at evaluating algorithms for multi-organ classification and segmentation using diverse, real-world ultrasound data collected across multiple centers and devices. -->
- [NSF HDR Scientific Modeling out of distribution: Neural Forecasting](#), in which algorithms forecast the activations of a cluster of neurons given previous signals from the same cluster.
- [The Algonauts Project 2025 Challenge](#), aiming at providing a platform where biological and artificial intelligence scientists can cooperate and compete in developing cutting-edge encoding models of neural responses to multimodal naturalistic movies that well generalize outside of their training distribution.

ENVIRONMENTAL RESEARCH

- [MIT ARCLab Prize for Space AI Innovation 2025](#), where the objective is to develop cutting-edge AI algorithms for nowcasting and forecasting space weather-driven changes in atmospheric density across low earth orbit using historical space weather observations.
- [TreeAI4Species Competition: Semantic Segmentation and Object detection](#), studying algorithms for identifying tree species from high-resolution aerial imagery.
- [Water Scarcity](#), leveraging data science to address water scarcity issues through simulations.

INDUSTRIAL APPLICATIONS

- [ICPR 2026 Competition on Low-Resolution License Plate Recognition](#), a computer vision challenge on low resolution images which gathered more than 500 participants.
- [AssetOpsBench](#), in which participants propose agents that solve realistic industrial tasks across the full pipeline: "Sensing → Reasoning → Actuation".
- [Universal Behavioral Modeling Data Challenge](#), designed to promote a unified approach to behavior modeling and data analytics.
- [WWW 2025: SMARTMEM Memory Failure Prediction Competition](#), where the task is to predict memory failures for data centers.

NATURAL LANGUAGE PROCESSING

SemEval (Semantic Evaluation) is an international series of shared tasks in natural language processing that provides standardized benchmarks to evaluate and compare systems on semantic understanding challenges. More than 12 tasks (with sub-tracks) were organized on Codabench in 2025, accounting for more than 20,000 submissions.

- SemEval competitions suite: [Task 1](#), [2](#), [3](#), [4](#), [5](#), [6](#), [7](#), [8](#), [9](#), [10](#), [11](#), [12](#)

Other notable NLP benchmarks:


- [Behind the Secrets of Large Language Models](#)
- [VLSP2025 DRiLL shared task](#)

EDUCATION

- [IndoML 2025 Datathon Tack-1: Mistake Identification](#), a task focusing on mistake identification for education application.

- [Compétition Algorithmique Avancée CS 3A INFO – TSP-rd](#), a competition used as a training for students in computer science, receiving more than 3000 submissions.
- [Tokam2D - Structure detection in fusion plasma simulations - datacamp 2025](#), physics based data science training at Université Paris-Saclay.

A huge thank you to everyone in the community for these **outstanding scientific contributions** across a wide variety of fields. You can discover **many more challenges in the [public competition listing](#)**.



5.6 Novelty in the software

Our contributors community was very active, with **139 pull requests merged** this year. Many new features, bug fixes, and back-end changes were made. We present some of them below.

NEW FEATURES FOR PARTICIPANTS AND ORGANIZERS

- Public datasets listing: <https://www.codabench.org/datasets/public/?page=1>
- [Croissant](#) standard compatibility
- New documentation website: <https://docs.codabench.org>
- Users can delete their submissions and manage their individual storage
- Leaderboards are now public for everyone without login required

BACK-END CHANGES FOR DEVELOPPERS AND HOSTERS

- Using Playwright instead of Selenium for automatic tests
- Logs are now colored and easier to read
- Django and other packages version upgrades

WHAT'S TO COME

The trend is to make the project more easy to deploy for independant hosters.

- Unified and lighter compute worker image, making it more stable
- Make compute worker its own repository, which means it can be more easily used for other projects if needed
- Django Admin upgrades to make it easier to manage the website as a site admin

5.7 Community

Reminder on our communication tools:

- Join our [google forum](#) to communicate your competitions and events
- Contact us for any question: info@codabench.org
- Write an issue on [github](#) about interesting suggestions

Please cite this paper when working with Codabench:

```
@article{codabench,
  title = {Codabench: Flexible, easy-to-use, and reproducible meta-benchmark platform},
  author = {Zhen Xu and Sergio Escalera and Adrien Pavão and Magali Richard and
    Wei-Wei Tu and Quanming Yao and Huan Zhao and Isabelle Guyon},
  journal = {Patterns},
  volume = {3},
  number = {7},
  pages = {100543},
  year = {2022},
  issn = {2666-3899},
  doi = {https://doi.org/10.1016/j.patter.2022.100543},
  url = {https://www.sciencedirect.com/science/article/pii/S2666389922001465}
}
```

5.8 Closing words

Thank you for reading the our newsletter. We're not done yet! More projects, more challenges, and more science ahead. Our open platform is becoming a powerful actor for building reliable and innovative AI benchmarks. See you on Codabench.



6. How you can contribute

6.1 Index

- Use [Codabench](#) by either participating in a competition or hosting a new competition.
- Find a bug? Got a feature request? Submit a [GitHub issue](#).
- [P1 issues](#) are the most important ones.
- Submit pull requests on GitHub to implement new features or fix bugs (see [the contributing section](#)).
- Improve this documentation.
- Let others know about Codabench!

6.2 Contributing

6.2.1 Being a Codabench user

- Create a user account on [Codabench](#)
- Register on [Codabench](#) to this existing competition [IRIS-tuto](#) and make a submission (you can find the necessary files [here](#)): `sample_result_submission` and `sample_code_submission`. See [this page](#) for more information.
- Create your own private competition (you can find the necessary files [here](#)). See [this page](#) for more information.

6.2.2 Setting up a local instance of Codabench

- Follow the tutorial in [codabench Docs](#). According to your hosting OS, you might have to tune your environment file a bit. Try without enabling the SSL protocol (doing so, you don't need a domain name for the server). Try using the embedded Minio storage solution instead of a private cloud storage.
- If needed, you can also look into [How to deploy Codabench on your server](#)

Using your local instance

- Create your own competition and play with it. You can look at the output logs of each different docker container.
- Setting you as an [admin](#) of your platform and visit the Django Admin menu.

6.2.3 Setting up an autonomous Compute Worker on a machine

- Configure and launch a [compute worker](#) docker container.
- Create a private [Queue](#) on your new own competition on the production server [codabench.org](#)
- Assign your own compute-worker to this private queue instead of the default queue.

7. FAQ

7.1 General questions

7.1.1 What is Codabench for?

Codabench benchmarks are aimed at researchers, scientists and other professionals who want to track algorithm performance via benchmarks or have participants participate in a competition to find the best solution to a problem. We run a free public instance at <https://www.codabench.org/> and the raw code is on [Github](#).

7.1.2 Can CodaLab competitions be privately hosted?

Yes, you can host your own CodaLab instance on a private or hosted server (e.g. Azure, GCP or AWS). For more information, see [how to deploy Codabench on your server](#) and [local installation](#) guide. However, most benchmark organizers do NOT need to run their own instance. If you run a computationally demanding competition, you can hook up your own [compute workers](#) in the backend very easily.

7.1.3 How to change my username?

You cannot change your username BUT you can change your display name which will then be displayed instead of your username. To change your display name, follow these instructions:

1. Login to Codabench
2. Click your username in the top right corner
3. Click 'Edit Profile' in the list
4. Set a display name you want to use
5. Click 'Submit' button to save changes

7.1.4 How to make a task public or use public tasks from other users?

Follow the detailed instruction [here](#) to know how you can make your task public and use other public tasks in your competitions.

7.1.5 How to delete my account?

Click on your account name on the top right of the website, then on `account`

7.2 Technical questions

7.2.1 Server Setup Issues

Many technical FAQ are already located in the [deploy your own server instructions](#).

Questions already answered there:

- Getting `Invalid HTTP method` in django logs.
- I am missing some static resources (css/js) on front end.
- CORS error when uploading bundle.
- Logos don't upload from minio.
- Compute worker execution with insufficient privileges
- Securing Codabench and Minio

7.2.2 A library is missing in the docker environment. What do to?

How does Codabench use dockers?

When you submit code to the Codabench platform, your code is executed inside a docker container. This environment can be exactly reproduced on your local machine by downloading the corresponding docker image.

For participants

- If you are a **competition participant**, contact the competition organizers to ask them if they can add the missing library or program. They can either accept or refuse the request.

For organizers

- If you are a **competition organizer**, you can select a different competition docker image. If the default docker image (`codalab/codalab-legacy:py37`) does not suits your needs, you can either:
 - Select another image from DockerHub
 - Create a new image from scratch
 - Edit the default image and push it to your own DockerHub account

[More information here.](#)

7.2.3 Emails are not showing up in my inbox for registration

When deploying a local instance, the email server is not configured by default, so you won't receive the confirmation email during signup. In `.env` towards the bottom you will find:

```
.env

# Uncomment to enable email settings
#EMAIL_BACKEND=django.core.mail.backends.smtp.EmailBackend
#EMAIL_HOST=smtp.sendgrid.net
#EMAIL_HOST_USER=user
#EMAIL_HOST_PASSWORD=pass
#EMAIL_PORT=587
#EMAIL_USE_TLS=True
```

Uncomment and fill in SMPT server credentials. A good suggestion if you've never done this is to use [sendgrid](#).

7.2.4 Robots and automated submissions?

What about robot policy, reckless, or malicious behavior? Codabench does not forbid the use of **robots** (bots) to access the website, provided that it is not done with malicious intentions to disturb the normal use and jam the system. A user who abuses their rights by knowingly, maliciously, or recklessly jamming the system, causing the system to crash, causing loss of data, or gaining access to unauthorized data, will be banned from accessing all Codabench services.

8. Contact Us

- The preferred way is via posting a [GitHub issue](#).
- If you wish to get in touch with the community, you can use the [Google Groups](#).
- In case of emergency

Send us an email 